Author Index to Volume 41

Abe K. See Terao T
Abel L. See Buchsbaum MS
Abelson JL. See Curtis GC
Ackenheil M. See Fartaćek R
Adachi K. See Tomoda A
Adlerberth A. See Nilsson A
Akil H. See Young EA
Alavi A. See Gyulai L
Allain S. See Lam RW
Allain TJ, Bearn JA, Coskeran P, Jones J, Checkley A, Butler J, Wessely S, Miell JP. Changes in growth hormone, insulin, insulinlike growth factors (IGFs), and IFG-binding protein-1 in chronic fatigue syndrome, 567
Allen G. See Murphy DGM
Alliger R. See Miller DD
Allilaire J-F. See Bellivier F
Amador X. See Malaspina D
Amin F. See Stroe AE
Anderson GM. See Rasmusson AM
Andreasen NC
See Miller DD
See Nopoulos P
Aniss AM. See Sachdev PS
Anton RF. See Shively CA
Aoki H. See Kunugi H
Arai H. See Nagaoka S
Arranz B, Blennow K, Eriksson A, Månsson J-E, Marcusson J. Serotonergic, noradrenergic, and dopaminergic measures in suicide brains, 1000
Asai M
See Saito M
See Yamada K
Ashikari I. See Yamada K
Attie M. See Gyulai L
Auerbach PP. See Swerdlow NR
Avery DH, Dahl K, Savage MV, Brengelmann GL, Larsen LH, Kenny MA, Eder DN, Vitiello MV, Prinz PN. Circadian temperature and cortisol rhythms during a constant routine are phase-delated in hypersomnic winter depression, 1109
Aylward EH. See Pearlson GD

Baba A. See Suzuki T
Baba S. See Fujimoto S
Babb SM
See English CD
See Renshaw PF
Bakish D, Cavazzoni P, Chudzik J, Ravindran A, Hrdina PD. Effects of selective serotonin reuptake inhibitors on platelet serotonin parameters in major depressive disorder, 184
Baldeweg T, Catalan J, Pugh K, Gruzelier J, Lovett E, Scurlock H, Burgess A, Riccio M, Hawkins D. Neurophysiological changes associated with psychiatric symptoms in HIV-infected individuals without AIDS, 474
Ball WB. See Gyulai L
Bark N. See Strous RD
Barker W. See Cantillon M
Barnard EA. See Chen AC-H
Barocka A
See Riedl U
See Zimmermann U
Barr LC, Heninger GR, Goodman W, Charney DS, Price LH. Effects of fluoxetine administration on mood response to tryptophan depletion in healthy subjects, 949
Barratt ES, Stanford MS, Kent TA, Felthous A. Neuropsychological and cognitive psychological substrates of impulsive aggression, 1045
Barta PE. See Pearlson GD
Batki SL. See Mendelson J
Bauer MS. See Gyulai L
Baumer A. See Heidrich A
Bearn JA. See Allain TJ
Beattie CW. See Lam RW
Becker J. See Ganguli R
Beiser M. See Sponheim SR
Bell CE. See Coupland NJ
Bellivier F, Laplanche J-L, Leboyer M, Feingold J, Bottos C, Allilaire J-F, Launay J-M. Serotonin transporter gene and manic depressive illness: an association study, 750
Bennington E. See Ganguli R
Bergeman CS. See Coccaro EF
Bernhard R. Manipulation of serotonergic status related to subjective and behavioral measures of aggression, 1148-corr (response)
Better WE. See Herning RI
Biederman J. See Milberger S
Binks S. See Fleming K
Bird TD. See Tsuang D
Blennow K. See Arranz B
Bond AJ, Cleare AJ. Manipulation of serotonergic status related to subjective and behavioral measures of aggression, 1147-corr
Bondy B. See Fartaćek R
Bonello CM. See Renshaw PF
Boone KB. See Poland RE
Bootzin RR. See Dorsey CM
Borkowska A, Rybakowski JK. Conjugate lateral eye movement during exacerbation of paranoid schizophrenia and the acute episode of major depression, 1065
Borriello R. See Monteleone P
Bottos C. See Bellivier F
Boutros NN, Uretsky NJ, Lui JJ, Millana RB. Effects of repeated cocaine administration on sensory inhibition in rats: preliminary data, 461

© 1997 Society of Biological Psychiatry

0006-3223/97/$17.00
PII S0006-3223(97)00237-0

Bowers MB Jr. See Mazure CM
Bradshaw JL. See Gallucci RM
Braff DL. See Clementz BA
Branchey M. See Buydens-Branchey L
Brar J. See Ganguli R
Breen KC. See Maguire TM
Breitfuss A. See Fartaćek R
Bremner JD, Randall P, Vermetten E, Staib L, Bronen RA, Mazure C, Capelli S, McCarthy G, Innis RB, Charney DS. Magnetic resonance imaging-based measurement of hippocampal volume in posttraumatic stress disorder related to childhood physical and sexual abuse—a preliminary report, 23
Brengelmann GL. See Avery DH
Brizendine L. See Wolkowitz OM
Broich K. See Gyulai L
Bronen RA. See Bremner JD
Brown GM. See Levitan RD
Brown J. See Mendelson J
Bruder G. See Malaspina D
Bruder GE, Fong R, Tenke CE, Leite P, Towey JP, Stewart JE, McGrath PJ, Quitkin FM. Regional brain asymmetries in major depression with or without an anxiety disorder: a quantitative electroencephalographic study, 939
Brynjolfsson J. See Chen AC-H
Buchsbaum MS, Wu J, Siegel BV, Hackett E, Trenary M, Abel L, Reynolds C. Effect of sertraline on regional metabolic rate in patients with affective disorder, 15
Buitelaar JK. See Jonkman LM
Bujas M. See Jakovlević M
Bunney WE Jr. See Jin Y
Burgess A. See Baldeweg T
Butler J. See Allain TJ
Butler R. See Chen AC-H
Butts JD. See Little KY, 1156
Buydens-Branchey L, Branchey M, Fergeson P, Hudson J, McKernin C. The meta-chlorophenylpiperazine challenge test in cocaine addicts: hormonal and psychological responses, 1071
Buysse DJ
See McDermott OD
See Thase ME
Buysse DJ, Frank E, Lowe KK, Cherry CR, Kupfer DJ. Electroencephalographic sleep correlates of episode and vulnerability to recurrence in depression, 406

Cadet JL. See Herning RI
Callahan AM, Frye MA, Marangeli LB, George MS, Ketter TA, L'Herrou T, Post RM. Comparative antidepressant effects of intravenous and intrathecal thyrotropin-releasing hormone: confounding effects of tolerance and implications for therapeutics, 264
Camfferman G. See Jonkman LM
Camp-Bruno JA. See Lifshitz K
Canick J. See Wolkowitz OM
Cannon M. See van Os J
Cantillon M, Harwood D, Barker W, St. George-Hyslop P, Tsuda T, Rogaeva E, Duara R. No association between apolipoprotein E genotype and late-onset depression in Alzheimer's disease, 246
Capelli S. See Bremner JD
Cardenas VA. See McCallin K
Cardenas VA, Gill P, Fein G. Human P50 suppression is not affected by variations in wakeful alertness, 891
Carnes M. See Gudmundsson A
Carroll BJ. See Slotkin TA
Carroll FI. See Little KY
Carter C. See Ganguli R
Cashman F. See Hudson CJ
Cassandro P. See Monteleone P
Cassano GB. See Marazziti D
Cassuto Y. See Cohen H
Castellanos JM. See Galard R
Catalan J. See Baldeweg T
Catalán R. See Galard R
Caterson ID. See O'Sullivan BT
Cavazzoni P. See Bakish D
Chan T. See Wolkowitz OM
Chandramuki A. See Khanna S
Chang F-M, Ko H-C, Lu R-B, Pakstis AJ, Kidd KK. The dopamine D4 receptor gene (DRD4) is not associated with alcoholism in three Taiwanese populations: six polymorphisms tested separately and as haplotypes, 394
Channabasavanna SM. See Khanna S
Charney DS
See Barr LC
See Bremner JD
See Salomon RM
See Wang S
Chase GA. See Pearlson GD
Checkley A. See Allain TJ
Chee K-Y. See Sachdev PS
Cheeta S, Ruigt G, van Proosdij J, Willner P. Changes in sleep architecture following chronic mild stress, 419
Chen AC-H, Kalsi G, Brynjolfsson J, Sigmundsson T, Curtis D, Butler R, Read T, Murphy P, Petursson H, Barnard EA, Hugh MD. Exclusion of linkage of schizophrenia to the gene for the glutamate GluR5 receptor, 243
Chen C-H, Lee Y-R, Wei F-C, Koong F-J, Hwu H-G, Hsiao K-J. Association study of NlaIII and MspI genetic polymorphisms of catechol-O-methyltransferase gene and susceptibility to schizophrenia, 985
Chen C-H, Wei F-C, Koong F-J, Hsiao K-J. Association of TaqI polymorphism of dopamine D_2 receptor gene and tardive dyskinesia, 827
Chen G. See Manji HK
Chen JJ. See MacFarlane JG
Chen L. See Zhang H-Y
Chen WJ, Loh EW, Hsu Y-PP, Cheng ATA. Alcohol dehydrogenase and aldehyde dehydrogenase genotypes and alcoholism among Taiwanese aborigines, 703
Cheng ATA. See Chen WJ
Chen Shih J. See Zhang H-Y
Cherek DR, Moeller FG, Dougherty DM, Rhoades H. Studies of violent and nonviolent male parolees: I. laboratory and psychometric measurements of impulsivity, 523
Cherek DR, Moeller FG, Schnapp W, Dougherty DM. Studies of violent and nonviolent male parolees: II. Laboratory and psychometric measurements of impulsivity, 514
Cherry CR. See Buysse DJ
Christensen JD. See Renshaw PF
Chudzik J. See Bakish D
Cleare AJ. See Bond AJ
Clementz BA. See Sponheim SR
Clementz BA, Gever MA, Braff DL. P50 suppression among schizophrenia and normal comparison subjects: a methodological analysis, 1035
Coccaro EF, Bergeman CS, Kavoussi RJ, Seroczynski AD. Heritability of aggression and irritability: a twin study of the aggression scales in adult male subjects, 273

Cogan S. See Hudson CJ
Cohen BM. See Renshaw PF
Cohen DJ. See Rasmusson AM
Cohen H, Kotler M, Matar MA, Kaplan Z, Miodownik H, Cassuto Y. Power spectral analysis of heart rate variability in posttraumatic stress disorder patients, 627
Coryell W. Hypersensitivity to carbon dioxide as a disease-specific trait marker, 259
Coskeran P. See Allain TJ
Coupland NJ, Lillywhite A, Bell CE, Potokar JP, Nutt DJ. A pilot controlled study of the effects of flumazenil in posttraumatic stress disorder, 988
Cramer H. See Strittmatter M
Crowe RR. George Winokur, M.D. (In Memoriam), 993
Csépe V. See Juckel G
Curtis D. See Chen AC-H
Curtis GC, Abelson JL, Gold PW. Adrenocorticotropic hormone and cortisol responses to corticotropin-releasing hormone: changes in panic disorder and effects of alprazolam treatment, 76
Cutler DJ. See O'Sullivan BT

Dahl K. See Avery DH
Dalack GW. See Malaspina D
Daly E. See Murphy DGM
Dawson ME. See Hazlett H
Day JP. See Moore PB
De La Granja M. See Murphy DGM
de Leeuw M. See Verburg K
Demling J. See Riedl U
Densmore D. See Stroe AE
Dew MA. See McDermott OD
Díaz F. See Zurrón M
Dinan TG
See Maguire TM
See Thakore JH
Dittmann-Balcar A. See Oades RD
Dodig G. See Jakovlević M
Dorevitch A, Kalian M, Shlafman M, Lerner V. Treatment of long-term tardive dykinesia with vitamin E, 114
Dorsey CM, Bootzin RR. Subjective and psychophysiologic insomnia: an examination of sleep tendency and personality, 209
Dougherty DM. See Cherek DR
Drebing CE. See English CD
Duan SX. See von Moltke LL
Duara R. See Cantillon M
Dumais-Huber C. See Yordanova J

Eastwood SL, Kerwin RW, Harrison PJ. Immunoautoradiographic evidence for a loss of α-amino-3-hydroxy-5-methyl-4-isoxazole propionate-perferring non-*N*-methyl- *D*-aspartate glutamate receptors within the medial temporal lobe in schizophrenia, 636
Ebert D. See Riedl U
Eder DN. See Avery DH
Edwards C
See Poland RE
See Rao U
Edwardson JA. See Moore PB
Ehrhardt JC. See Nopoulos P
Emsley RA. See Russouw HG
English CD, Kaufman MJ, Worth JL, Babb SM, Drebing CE, Navia BA, Renshaw PF. Elevated frontal lobe cytosolic choline levels in minimal or mild AIDS dementia complex patients: a proton magnetic resonance spectroscopy study, 500
Enns M, Peeling J, Sutherland G. Flawed model of caffeine effects on electroconvulsive therapy, 991-corr (response)
Eriksson A. See Arranz B

Fairchild CJ. See Rush AJ
Fañanas L. See van Os J
Faraone SV. See Milberger S
Fartaćek R, Geretsegger C, Breitfuss A, Ackenheil M, Bondy B. Elevated lymphocyte spiperone binding: a vulnerability factor for affective psychosis?, 107
Fasiczka AJ. See Thase ME
Fava M. See Renshaw PF
Federman EB. See Pearlson GD
Feeney GFX. See Lawford BR
Fein G
See Cardenas VA
See McCallin K
Feingold J. See Bellivier F
Felthous A. See Barratt ES
Fergeson P. See Buydens-Branchey L
Ferrier IN. See Moore PB
Finckh U. See Sander T
Firnau G. See MacFarlane JG
Flaum M. See Nopoulos P
Fleming K, Goldberg TE, Binks S, Randolph C, Gold JM, Weinberger DR. Visuospatial working memory in patients with schizophrenia, 43
Fogelman SM. See von Moltke LL
Fong R. See Bruder GE
Frank E
See Buysse DJ
See Thase ME
Frank E, Hlastala S, Ritenour A, Houck P, Tu XM, Monk TH, Mallinger AG, Kupfer DJ. Inducing lifestyle regularity in recovering bipolar disorder patients: results from the maintenance therapies in bipolar disorder protocol, 1166
Frye MA. See Callahan AM
Fujimoto S, Inui A, Kiyota N, Seki W, Koide K, Takamiya S, Uemoto M, Nakajima Y, Baba S, Kasuga M. Increased cholecystokinin and pancreatic polypeptide responses to a fat-rich meal in patients with restrictive but not bulimic anorexia nervosa, 1068
Fulton CL. See Rush AJ

Gabriel S. See Halperin JM
Galard R, Poca MA, Catalán R, Tintoré M, Castellanos JM, Sahuquillo J. Decreased cholecystokinin levels in cerebrospinal fluid of patients with adult chronic hydrocephalus syndrome, 804
Gallucci RM, Phillips JG, Bradshaw JL, Vaddadi KS, Pantelis C. Kinematic analysis of handwriting movements in schizophrenic patients, 830
Ganguli R, Carter C, Mintun M, Brar J, Becker J, Sarma R, Nichols T, Bennington E. PET brain mapping study of auditory verbal supraspan memory versus visual fixation in schizophrenia, 33
Garnett S. See MacFarlane JG
George MS. See Callahan AM
Geretsegger C. See Fartaćek R
Gever MA. See Clementz BA
Gibson JN. See Lawford BR
Giles DE. See Rush AJ
Gill P. See Cardenas VA
Gilmore J. See Little KY
Glassman A. See Malaspina D
Gold JM. See Fleming K
Gold PW. See Curtis GC
Goldberg TE. See Fleming K
Goodman W. See Barr LC
Goodman WK. See Rasmusson AM
Gorelick DA. See Herning RI
Gorman J. See Malaspina D
Gottfries C-G. See Smythies JR
Grady C. See Murphy DGM
Graw P. See Wirz-Justice A

Greenblatt DJ. See von Moltke LL
Griez E. See Verburg K
Gruzelier J. See Baldeweg T
Grzella I. See Oades RD
Gudmundsson A, Carnes M. Pulsatile adrenocorticotropic hormone: an overview, 342
Guite J. See Milberger S
Guo X. See Herning RI
Gyulai L, Alavi A, Broich K, Reilley J, Ball WB, Whybrow PC. I-123 iofetamine single-photon computed emission tomography in rapid cycling bipolar disorder: a clinical study, 152
Gyulai L, Jaggi J, Bauer MS, Younkin S, Rubin L, Attie M, Whybrow PC. Bone mineral density and L-thyroxine treatment in rapidly cycling bipolar disorder, 503

Hackett E. See Buchsbaum MS
Hajek M. See Volz H-P
Hall M. See McDermott OD
Halperin JM, Newcorn JH, Schwartz ST, Sharma V, Siever LJ, Koda VH, Gabriel S. Age-related changes in the association between serotonergic function and aggression in boys with ADHD, 682
Hamann G. See Strittmatter M
Hamblin MW. See Neumaier JF
Hanihara T. See Onishi H
Harmatz JS. See von Moltke LL
Harms H. See Sander T
Harris B. See Oretti RG
Harrison PJ. See Eastwood SL
Hartman PL. See Swerdlow NR
Harwood D. See Cantillon M
Hasegawa M. See Sumiyoshi T
Hashimoto T. See Wada J
Hashimoto Y. See Tshacher W
Hashmi A. See Stroe AE
Hawkins D. See Baldeweg T
Haxby JV. See Murphy DGM
Hazlett H, Dawson ME, Schell AM, Nuechterlein KH. Electrodermal activity as a prodromal sign in schizophrenia, 111
Hegerl U. See Juckel G
Hegewald H. See Volz H-P
Heidrich A, Strik WK. Auditory P300 topography and neuropsychological test performance: evidence for left hemispheric dysfunction in schizophrenia, 327
Heidrich A, Thome J, Rösler M, Baumer A. Apolipoprotein E-ϵ4 allele frequency in late-onset depression, 912-corr
Heinen U. See Wirz-Justice A
Hemmings GP. See Wei J
Heninger GR
See Barr LC
See Salomon RM
Hermesh H. See Manor I
Herning RI, Guo X, Better WE, Weinhold LL, Lange WR, Cadet JL, Gorelick DA. Neurophysiological signs of cocaine dependence: increased electroencephalogram beta during withdrawal, 1087
Hill H. See Weisbrod M
Hind Rifai A. See Zubenko GS
Hlastala S. See Frank E
Hoch CC. See McDermott OD
Hopwood S. See Maguire TM
Hori T. See Suzuki T
Horwitz B. See Murphy DGM
Houck PR
See Frank E
See McDermott OD
Hrdina PD. See Bakish D
Hsiao K-J. See Chen C-H
Hsu Y-PP. See Chen WJ
Hudson CJ, Lin A, Cogan S, Cashman F, Warsh JJ. The niacin challenge test: clinical manifestation of altered transmembrane signal transduction in schizophrenia?, 507
Hudson J. See Buydens-Branchey L
Huether G, Zhou D, Schmidt S, Wiltfang J, Rüther E. Long-term food restriction down- regulates the density of serotonin transporters in the rat frontal cortex, 1175
Hugh MD. See Chen AC-H
Humphreys D. See Mathew RJ
Hunt GE. See O'Sullivan BT
Hunter C. See Oretti RG
Hwang C-C. See Ko H-C
Hwu H-G. See Chen C-H

Iacono WG. See Sponheim SR
Igata T. See Igata-Yi R
Igata-Yi R, Igata T, Ishizuka K, Kimura T, Sakamoto S, Katsuragi S, Takamatsu J, Miyakawa T. Apolipoprotein E genotype and psychosis, 906
Innis RB. See Bremner JD
Inoue K. See Onishi H
Inui A. See Fujimoto S
Ishida T. See Saito M
Ishigaki T. See Zhang H-Y
Ishiguro T. See Nisijima K
Ishizuka K. See Igata-Yi R
Iwamoto N. See Nagaoka S
Iwasawa T. See Onishi H
Iwata N. See Terao T

Jaggi J. See Gyulai L
Jakovlević M, Mück-Šeler D, Pivac N, Ljubičić Đ, Bujas M, Dodig G. Seasonal influence on platelet 5-HT levels in patients with recurrent major depression and schizophrenia, 1028
Janka Z. See Kálmán J
Járdánházy T. See Kálmán J
Jayathilake K. See Sumiyoshi T
Jeanjean AP, Laterre EC, Maloteaux J-M. Neuroleptic binding to sigma receptors: possible involvement in neuroleptic-induced acute dystonia, 1010
Jiang Z-Y. See Wada J
Jin Y, Potkin SG, Sandman CA, Bunney WE Jr. Electroencephalographic photic driving in patients with schizophrenia and depression, 496
Joffe RT. See Levitan RD
Johnson GF. See O'Sullivan BT
Johnson R. See Wolkowitz OM
Jones DW. See Kulynych JJ
Jones J. See Allain TJ
Jones RT. See Mendelson J
Jonkman LM, Kemner C, Verbaten MN, Koelega HS, Camfferman G, v.d. Gaag R-J, Buitelaar JK, van Engeland H. Effects of methylphenidate on event-related potentials and performance of attention-deficit hyperactivity disorder children in auditory and visual selective attention tasks, 690
Jonkman LM, Kemner C, Verbaten MN, Koelega HS, Camfferman G, v.d. Gaag R-J, Buitelaar JK, van Engeland H. Event-related potentials and performance of attention-deficit hyperactivity disorder: children and normal controls in auditory and visual selective attention tasks, 595
Juckel G, Molnár M, Hegerl U, Csépe V, Karmos G. Auditory-evoked potentials as indicator of brain serotonergic activity—first evidence in behaving cats, 1182

Kahn T. See Stroe AE

Kaiser WA. See Volz H-P
Kalian M. See Dorevitch A
Kálmán J, Kanka A, Maglóezky E, Szóke A, Járdánházy T, Janka Z. Increased mydriatic response to tropicamide is a sign of cholinergic hypersensitivity but not specific to late- onset sporadic type of Alzheimer's dementia, 909
Kalsi G. See Chen AC-H
Kalynchuk LE, Pinel JPJ, Treit D, Kippin TE. Changes in emotional behavior produced by long-term amygdala kindling in rats, 438
Kanba S. See Yamada K
Kanka A. See Kálmán J
Kaplan AS. See Levitan RD
Kaplan Z. See Cohen H
Karmos G. See Juckel G
Kaschka WP
See Riedl U
See Zimmermann U
Kasuga M. See Fujimoto S
Katsuragi S. See Igata-Yi R
Kaufman MJ. See English CD
Kavoussi RJ. See Coccaro EF
Kawanishi C. See Onishi H
Keith SJ. See Nurnberg HG
Kemner C. See Jonkman LM
Kennedy SH. See Levitan RD
Kenny MA. See Avery DH
Kent TA. See Barratt ES
Kerwin RW. See Eastwood SL
Kessler A. See Van Someren EJW
Ketter TA. See Callahan AM
Khanna S, Ravi V, Shenoy PK, Chandramuki A, Channabasavanna SM. Cerebrospinal fluid viral antibodies in obsessive-compulsive disorder in an Indian population, 883
Kidd KK. See Chang F-M
Kimura T. See Igata-Yi R
King SJ. See Moore PB
Kippin TE. See Kalynchuk LE
Kirkpatrick B, Ross DE. The trap of protopathic bias in neuropsychiatric research, 257-ed
Kish SJ. See Mathews R
Kiyota N. See Fujimoto S
Knott PJ. See Stroe AE
Ko H-C. See Chang F-M
Ko H-C, Lu R-B, Shiah I-S, Hwang C-C. Plasma free- methoxy-4-hydroxyphenylglycol predicts response to fluoxetine, 774
Koda VH. See Halperin JM
Koelega HS. See Jonkman LM
Koide K. See Fujimoto S
Kojima T. See Matsushima E
Kolem H. See Riedl U
Komaki G. See Sudo N
Koong F-J. See Chen C-H
Kornhuber J, Weller M. Psychotogenicity and N-methyl- D-aspartate receptor antagonism: implications for neuroprotective pharmacotherapy, 135
Kosaka K. See Onishi H
Koshino Y. See Wada J
Kosten TR. See Manji HK
Kotler M. See Cohen H
Kramer GL. See Neumaier JF
Krishnan KRR, Tupler LA. Apolipoprotein E- ϵ4 allele frequency in late-onset depression, 912-corr (response)
Krystal JH. See Salomon RM
Kubo C. See Sudo N
Kulynych JJ, Luevano LF, Jones DW, Weinberger DR. Cortical abnormality in schizophreniacolon an in vivo application of the gyrification index, 995
Kunugi H, Takei N, Aoki H, Nanko S. Low serum cholesterol in suicide attempters, 196
Kupfer DJ
See Buysse DJ
See Frank E
See McDermott OD
See Thase ME
Kurita H. See Suzuki T

Laber-Laird K. See Shively CA
Lachman HM. See Strous RD
Lafer B. See Renshaw PF
Lam RW, Allain S, Sullivan K, Beattie CW, Remick RA, Zis AP. Effects of chronic lithium treatment on retinal electrophysiologic function, 737
Landmann R, Schaub B, Link S, Wacker HR. Unaltered monocyte function in patients with major depression before and after three months of antidepressive therapy, 675
Lange WR. See Herning RI
Laplanche J-L. See Bellivier F
Largay K. See Murphy DGM
Larsen LH. See Avery DH
Laterre EC. See Jeanjean AP
Latham G. See Martinez R
Launay J-M. See Bellivier F
Lawford BR, Young RM, Rowell JA, Gibson JN, Feeney GFX, Ritchie TL, Syndulko K, Noble EP. Association of the dopamine D_2 receptor A1 allele with alcoholism: medical severity of alcoholism and type of controls, 386
Lawlor BA. See Martinez R
Lawlor BA, Radcliffe J, Martinez R, Sunderland T, Murphy DL. Plasma levels of m-chlorophenylpiperazine following single oral dose administration of m-chlorophenylpiperazine and trazodone in human volunteers, 756
Lazarus JH. See Oretti RG
Leadbetter RA. See Shutty MS Jr
Leboyer M. See Bellivier F
Leckman JF. See Rasmusson AM
Lee KL. See Lifshitz K
Lee Y-R. See Chen C-H
Leite P. See Bruder GE
Lerner V. See Dorevitch A
Lesser IM. See Poland RE
Lett D. See Moore PB
Leverenz J. See Tsuang D
Levitan RD, Kaplan AS, Brown GM, Joffe RT, Levitt AJ, Vaccarino FJ, Kennedy SH. Low plasma cortisol in bulimia nervosa patients with reversed neurovegetative symptoms of depression, 366
Levitt AJ. See Levitan RD
L'Herrou T. See Callahan AM
Li PP. See Mathews R
Lidsky TI. Neuropsychiatric implications of basal ganglia dysfunction, 383-ed
Lifshitz K, O'Keeffe RT, Linn GS, Lee KL, Camp-Bruno JA, Suckow RF. Effects of dopamine agonists on *Cebus apella* monkeys with previous long-term exposure to fluphenazine, 657
Lilley JS. See Moore PB
Lillywhite A. See Coupland NJ
Lin A. See Hudson CJ
Lin K-M. See Poland RE
Link S. See Landmann R
Linn GS. See Lifshitz K
List SJ. See MacFarlane JG
Little KY, McLaughlin DP, Ranc J, Gilmore J, Lopez JF, Watson SJ, Carroll FI, Butts JD. Serotonin binding transporter sites and mRNA levels in depressed persons comitting suicide, 1156
Ljubičić Đ. See Jakovlević M

Loh EW. See Chen WJ
Lopez JF
See Little KY
See Young EA
Lovett E. See Baldeweg T
Lowe JV. See Mathew RJ
Lowe KK. See Buysse DJ
Lu R-B
See Chang F-M
See Ko H-C
Luevano LF. See Kulynych JJ
Lui JJ. See Boutros NN
Lutchmansingh P
See Poland RE
See Rao U
Lynch KA. See Rasmusson AM

Macdonald A. See van Os J
MacFarlane JG, List SJ, Moldofsky H, Firnau G, Chen JJ, Szechtman H, Garnett S, Nahmias C. Dopamine D2 receptors quantified in vivo in human narcolepsy, 305
Maglóezky E. See Kálmán J
Maguire TM, Thakore J, Dinan TG, Hopwood S, Breen KC. Plasma sialyltransferase levels in psychiatric disorders as a possible indicator of HPA axis function, 1131
Maier S. See Weisbrod M
Maj M. See Monteleone P
Malaspina D, Bruder G, Dalack GW, Storer S, Van Kammen M, Amador X, Glassman A, Gorman J. Diminished cardiac vasal tone in schizophrenia: associations to brain laterality and age or onset, 612
Mallinger AG. See Frank E
Malone KM. See Mann JJ
Maloteaux J-M. See Jeanjean AP
Manfredi F. See Wolkowitz OM
Manji HK, Chen G, Potter W, Kosten TR. Guanine nucleotide bonding proteins in opioid-dependent patients, 130
Mann JJ. See Soares JC
Mann JJ, Malone KM. Cerebrospinal fluid amines and higher-lethality suicide attempts in depressed inpatients, 162
Manor I, Hermesh H, Munitz H, Weizman A. Neuroleptic malignant syndrome with gangliosidosis type II, 1223
Månsson J-E. See Arranz B
Marangeli LB. See Callahan AM
Marazziti D, Cassano GB. Neuroscience: where is it heading? Some reflections on the future of brain research at the end of the second millenium, 127-ed
Marcusson J. See Arranz B
Marino LJ Jr. See Zubenko GS
Martin A. See Thakore JH
Martinez R. See Lawlor BA
Martinez R, Molchan SE, Lawlor BA, Thompson K, Martinson H, Latham G, Weingartner H, Sunderland T. Minimal effects of dextroamphetamine on scopolamine- induced cognitive impairments in humans, 50
Martinson H. See Martinez R
Mason J. See Wang S
Matar MA. See Cohen H
Mathew RJ, Wilson WH, Humphreys D, Lowe JV, Wiethe KE. Cerebral vasodilation and vasoconstriction associated with acute anxiety, 782
Mathew RJ, Wilson WH, Humphreys D, Lowe JV. Effect of nitrous oxide on cerebral blood velocity while reclining and standing, 979
Mathews R, Li PP, Young LT, Kish SJ, Warsh JJ. Increased $G\alpha_{q/11}$ immunoreactivity in postmortem occipital cortex from patients with bipolar affective disorder, 649
Matsushima E, Nakajima K, Moriya H, Matsuura M, Motomiya T, Kojima T. A psychophysiological study of the development of delirium in coronary care units, 1212
Matsuura M. See Matsushima E
May S. See Volz H-P
Mazumdar S. See McDermott OD
Mazure CM
See Bremner JD
See Rasmusson AM
Mazure CM, Quinlan DM, Bowers MB Jr. Recent life stressors and biological markers in newly admitted psychotic patients, 865
McCallin K, Cardenas VA, Fein G. P50 event-related brain potential amplitude and suppression measurements recorded with subjects seated versus supine, 902
McCarley RW. See Voglmeier MM
McCarthy G. See Bremner JD
McCook EC. See Slotkin TA
McCracken JT
See Poland RE
See Rao U
McCulley K. See Shutty MS Jr
McDermott OD, Prigerson HG, Reynolds CF III, Houck PR, Dew MA, Hall M, Mazumdar S, Buysse DJ, Hoch CC, Kupfer DJ. Sleep in then wake of complicated grief symptoms: an exploratory study, 710
McGrath PJ. See Bruder GE
McKernin C. See Buydens-Branchey L
McLaughlin DP. See Little KY
McSwiggan-Hardin M. See Rasmusson AM
Meltzer HY. See Sumiyoshi T
Mendelson J, Jones RT, Welm S, Brown J, Batki SL. Buprenorphine and naloxone interactions in methadone maintenance patients, 1095
Menon RR. See Pearlson GD
Mentis MJ. See Murphy DGM
Miell JP. See Allain TJ
Miike T. See Tomoda A
Milberger S, Biederman J, Faraone SV, Guite J, Tsuang MT. Pregnancy, delivery and infancy complications and attention deficit hyperactivity disorder: issues of gene-environment interaction, 65
Millana RB. See Boutros NN
Miller DD, Rezai K, Alliger R, Andreasen NC. The effect of antipsychotic medication on relative cerebral blood perfusion in schizophrenia: assessment with technetium-99m hexamethyl propyleneamine oxime single photon emission computed tomography, 550
Miller HL. See Salomon RM
Mintun M. See Ganguli R
Miodownik H. See Cohen H
Mirmiran M. See Van Someren EJW
Miyakawa T. See Igata-Yi R
Miyasato K. See Zhang H-Y
Modai I. See Rudnick A
Moeller FG. See Cherek DR
Molchan SE. See Martinez R
Moldofsky H. See MacFarlane JG
Molnár M. See Juckel G
Monk TH. See Frank E
Monteleone P, Tortorella A, Borriello R, Natale M, Cassandro P, Maj M. Suppression of nocturnal plasma melatonin levels by evening administration of sodium valproate in healthy humans, 336
Moore CM. See Renshaw PF
Moore PB, Edwardson JA, Ferrier IN,

Taylor GA, Lett D, Tyrer SP, Day JP, King SJ, Lilley JS. Gastrointestinal absorption of aluminum is increased in Down's syndrome, 488
Moriya H. See Matsushima E
Motomiya T. See Matsushima E
Mück-Šeler D. See Jakovlević M
Mulsant BH. See Zubenko GS
Munitz H. See Manor I
Murphy DGM, Mentis MJ, Pietrini P, Grady C, Daly E, Haxby JV, De La Granja M, Allen G, Largay K, White BJ, Powell CM, Horwitz B, Rapoport SI, Schapiro MB. A PET study of Turner's syndrome: effects of sex steroids and the X chromosome on brain, 285
Murphy DL. See Lawlor BA
Murphy P. See Chen AC-H
Murphy-Weinberg V. See Young EA
Murray R. See van Os J

Nagaoka S, Iwamoto N, Arai H. First-episode neuroleptic-free schizophrenics: concentrations of monoamines and their metabolites in plasma and their correlations with clinical responses to haloperidol treatment, 857
Nahmias C. See MacFarlane JG
Nakajima K. See Matsushima E
Nakajima Y. See Fujimoto S
Nanbu Y. See Wada J
Nanko S. See Kunugi H
Natale M. See Monteleone P
Navia BA. See English CD
Neumaier JF, Petty F, Kramer GL, Szot P, Hamblin MW. Learned helplessness increases 5-hydroxytryptamine$_{1B}$ receptor mRNA levels in the rat dorsal raphe nucleus, 668
Newcorn JH. See Halperin JM
Nichols T. See Ganguli R
Nickel B. See Sander T
Nierenberg AA. See Renshaw PF
Nilsson A, Waller L, Rosengren A, Adlerberth A, Wilhelmsen L. Cigarette smoking is associated with abnormal involuntary movements in the general male population—a study of men born in 1933, 717
Nisijima K, Noguti M, Ishiguro T. Intravenous injection of levodopa is more effective than dantrolene as therapy for neuroleptic malignant syndrome, 913-corr
Noble EP. See Lawford BR
Noguti M. See Nisijima K
Nopoulos P, Swayze V, Flaum M, Ehrhardt JC, Yuh WTC, Andreasen NC. Cavum septum pellucidi in normals and patients with schizophrenia as detected by magnetic resonance imaging, 1102
Nuechterlein KH. See Hazlett H
Nurnberg HG, Keith SJ, Paxton DM. Consideration of the relevance of ethological animal models for human repetitive behavioral spectrum disorders, 226
Nutt DJ. See Coupland NJ

Oades RD, Dittmann-Balcar A, Zerbin D, Grzella I. Impaired attention-dependent augmentation of MMN in nonparanoid vs paranoid schizophrenic patients: a comparison with obsessive-compulsive disorder and healthy subjects, 1197
Ohara Kenshiro. See Zhang H-Y
Ohara Koichi. See Zhang H-Y
Ohmori O. See Terao T
Ohnisi K. See Yamada K
O'Keeffe RT. See Lifshitz K
Olivera AA. Sertraline and akathisia: spontaneous resolution, 241
Onishi H, Kawanishi C, Iwasawa T, Osaka H, Hanihara T, Inoue K, Yamada Y, Kosaka K. Depressive disorder due to mitochondrial transfer RNA$^{Leu(UUR}$ mutation, 1137
Oretti RG, Hunter C, Lazarus JH, Parkes AB, Harris B. Antenatal depression and thyroid antibodies, 1143
Orlebeke JF. See van Zijderveld GA
Ormiston S. See Wolkowitz OM
Orr SP, Solomon Z, Peri T, Pitman RK, Shalev AY. Physiologic responses to loud tones in Israeli veterans of the 1973 Yom Kippur War, 319
Orsulak PJ. See Rush AJ
Osaka H. See Onishi H
O'Sullivan BT, Cutler DJ, Hunt GE, Walters C, Johnson GF, Caterson ID. Pharmacokinetics of dexamethasone and its relationship to dexamethasone suppression test outcome in depressed patients and healthy control subjects, 574

Pakstis AJ. See Chang F-M
Pantelis C. See Gallucci RM
Parkes AB. See Oretti RG
Pasternak RE. See Zubenko GS
Paxton DM. See Nurnberg HG
Pearlson GD, Barta PE, Powers RE, Menon RR, Richards SS, Aylward EH, Federman EB, Chase GA, Petty RG, Tien AY. Medial and superior temporal gyral volumes and cerebral asymmetry in schizophrenia versus bipolar disorder, 1
Peeling J. See Enns M
Peri T. See Orr SP
Peskind ER. See Tsuang D
Petty F. See Neumaier JF
Petty RG. See Pearlson GD
Petursson H. See Chen AC-H
Phillips JG. See Gallucci RM
Pietrini P. See Murphy DGM
Piletz JE. See Suzuki T
Pillay SS. See Renshaw PF
Pinel JPJ. See Kalynchuk LE
Pitman RK. See Orr SP
Pivac N. See Jakovlević M
Plaskacewicz GJ. See Zimmermann U
Poca MA. See Galard R
Podschus J. See Sander T
Poland RE. See Rao U
Poland RE, McCracken JT, Lutchmansingh P, Lesser IM, Tondo L, Edwards C, Boone KB, Lin K-M. Differential response of rapid eye movement sleep to cholinergic blockade by scopolamine in currently depressed, remitted, and normal control subjects, 929
Pols H. See Verburg K
Post RM. See Callahan AM
Potkin SG. See Jin Y
Potokar JP. See Coupland NJ
Potter W. See Manji HK
Powell CM. See Murphy DGM
Powers RE. See Pearlson GD
Preußler B. See Volz H-P
Price LH
See Barr LC
See Rasmusson AM
Prigerson HG. See McDermott OD
Prinz PN. See Avery DH
Prünte A. See Wirz-Justice A
Pugh K. See Baldeweg T

Quinlan DM. See Mazure CM
Quitkin FM. See Bruder GE

Radcliffe J. See Lawlor BA

Ramchand CM. See Wei J
Ranc J. See Little KY
Randall P. See Bremner JD
Randolph C. See Fleming K
Rao U, McCracken JT, Lutchmansingh P, Edwards C, Poland RE. Electroencephalographic sleep and urinary free cortisol in adolescent depression: a preliminary report of changes from episode to recovery, 369
Rapoport SI. See Murphy DGM
Raskind MA. See Tsuang D
Rasmusson AM, Anderson GM, Lynch KA, McSwiggan-Hardin M, Scahill LD, Mazure CM, Goodman WK, Price LH, Cohen DJ, Leckman JF. A preliminary study of tryptophan depletion on tics, obsessive compulsive symptoms, and mood in Tourette's syndrome, 117
Raum WJ. See Wolkowitz OM
Ravi V. See Khanna S
Ravindran A. See Bakish D
Read T. See Chen AC-H
Rechlin T. See Zimmermann U
Regland B. See Smythies JR
Reilley J. See Gyulai L
Remé C. See Wirz-Justice A
Remick RA. See Lam RW
Renshaw PF. See English CD
Renshaw PF, Lafer B, Babb SM, Fava M, Stoll AL, Christensen JD, Moore CM, Yurgelun-Todd DA, Bonello CM, Pillay SS, Rothschild AJ, Nierenberg AA, Rosenbaum JF, Cohen BM. Basal ganglia choline levels in depression and response to fluoxetine treatment: an in vivo proton magnetic resonance spectroscopy study, 837
Reuner C. See Strittmatter M
Reus VI. See Wolkowitz OM
Reynolds C. See Buchsbaum MS
Reynolds CF III. See McDermott OD
Rezai K. See Miller DD
Reznek RH. See Thakore JH
Rhoades H. See Cherek DR
Riccio M. See Baldeweg T
Richards PJ. See Thakore JH
Richards SS. See Pearlson GD
Riedl U, Barocka A, Kolem H, Demling J, Kaschka WP, Schelp R, Stemmler M, Ebert D. Duration of lithium treatment and brain lithium concentration in patients with unipolar and schizoaffective disorder—a study with magnetic resonance spectroscopy, 844
Riney S. See Wang S
Ritchie JC. See Slotkin TA
Ritchie TL. See Lawford BR
Ritenour A. See Frank E
Roberts E. See Wolkowitz OM
Roberts MC. See Russouw HG
Roffwarg HP. See Rush AJ
Rogaeva E. See Cantillon M
Rolfs A. See Sander T
Rommelspacher H. See Sander T
Rosenbaum JF. See Renshaw PF
Rosengren A. See Nilsson A
Rösler M. See Heidrich A
Ross DE. See Kirkpatrick B
Rothenberger A. See Yordanova J
Rothschild AJ. See Renshaw PF
Rowell JA. See Lawford BR
Roy A. See Roy M
Roy M, Smelson D, Roy A. Longitudinal study of blue cone retinal function in cocaine-withdrawn patients, 252
Rubin L. See Gyulai L
Rudnick A, Modai I, Zelikovski A. Fluoxetine-induced Raynaud's phenomenon, 1219
Ruigt G. See Cheeta S
Rush AJ, Giles DE, Schlesser MA, Orsulak PJ, Weissenburger JE, Fulton CL, Fairchild CJ, Roffwarg HP. Dexamethasone response, thyrotropin-releasing hormone stimulation, rapid eye movement latency, and subtypes of depression, 915
Russouw HG, Roberts MC, Emsley RA, Truter R. Psychiatric manifestations and magnetic resonance imaging in HIV-negative neurosyphilis, 467
Rüther E. See Huether G
Rybakowski JK. See Borkowska A
Rzanny R. See Volz H-P

Sachdev PS, Chee K-Y, Aniss AM. The audiogenic startle reflex in Tourette's syndrome, 796
Sahuquillo J. See Galard R
Saito M, Ishida T, Asai M. Alterations of peak distribution of auditory ERPs during transient global amnesia: a case report, 237
Sakamoto S. See Igata-Yi R
Salisbury D. See Voglmeier MM
Salomon RM, Miller HL, Krystal JH, Heninger GR, Charney DS. Lack of behavioral effects of monoamine depletion in healthy subjects, 58
Sander T, Harms H, Podschus J, Finckh U, Nickel B, Rolfs A, Rommelspacher H, Schmidt LG. Allelic association of a dopamine transporter gene polymorphism in alcohol dependence with withdrawal seizures or delirium, 299
Sandman CA. See Jin Y
Sarma R. See Ganguli R
Sasaki M. See Suzuki T
Sauer H. See Volz H-P
Savage MV. See Avery DH
Scahill LD. See Rasmusson AM
Schapiro MB. See Murphy DGM
Schaub B. See Landmann R
Scheier C. See Tshacher W
Schell AM. See Hazlett H
Schellenberg G. See Tsuang D
Schelp R. See Riedl U
Schimrigk K. See Strittmatter M
Schlesser MA. See Rush AJ
Schmider J. See von Moltke LL
Schmidt LG. See Sander T
Schmidt S. See Huether G
Schnapp W. See Cherek DR
Schwartz ST. See Halperin JM
Scurlock H. See Baldeweg T
Seidler FJ. See Slotkin TA
Seidman LJ. See Voglmeier MM
Seki W. See Fujimoto S
Seroczynski AD. See Coccaro EF
Shader RI. See von Moltke LL
Shalev AY. See Orr SP
Sharma V. See Halperin JM
Shen WW. The metabolism of psychoactive drugs: a review of enzymatic biotransformation and inhibition, 814
Shenoy PK. See Khanna S
Shiah I-S. See Ko H-C
Shiraishi H. See Suzuki T
Shiraishi S. See Tomoda A
Shiratuchi T. See Terao T
Shively CA, Laber-Laird K, Anton RF. Behavior and physiology of social stress and depression in female cynomolgus monkeys, 871
Shlafman M. See Dorevitch A
Shutty MS Jr, Leadbetter RA, McCulley K. Diurnal urine volume estimates in schizophrenic patients with polydipsia during water-loaded versus nonloaded states, 374
Siegel BV. See Buchsbaum MS
Siever LJ. See Halperin JM
Sigmundsson T. See Chen AC-H
Simons AD. See Thase ME
Singh EA. See Singh VK
Singh VK, Singh EA, Warren RP.

Hyperserotoninemia and serotonin receptor antibodies in children with autism but not mental retardation, 753
Slotkin TA, McCook EC, Ritchie JC, Carroll BJ, Seidler FJ. Serotonin transporter expression in rat brain regions and blood platelets: aging and glucocorticoid effects, 172
Smelson D. See Roy M
Smythies JR, Gottfries C-G, Regland B. Disturbances of one-carbon metabolism in neuropsychiatric disorders: a review, 230
Soares JC, Mann JJ. The anatomy of mood disorders—review of structural neuroimaging studies, 86
Sogawa H. See Sudo N
Solomon Z. See Orr SP
Southwick S. See Wang S
Spitzer M. See Weisbrod M
Sponheim SR, Iacono WG, Clementz BA, Beiser M. Season of birth and electroencephalogram power abnormalities in schizophrenia, 1020
Staib L. See Bremner JD
Stanford MS. See Barratt ES
Stemmler M. See Riedl U
Stevens JR. Enough of pooled averages: been there, done that, 633-ed
Stewart JE. See Bruder GE
St. George-Hyslop P. See Cantillon M
Stoll AL. See Renshaw PF
Storer S. See Malaspina D
Strik WK. See Heidrich A
Strittmatter M, Cramer H, Reuner C, Strubel D, Hamann G, Schimrigk K. Molecular forms of somatostatin-like immunoreactivity in the cerebrospinal fluid of patients with senile dementia of the Alzheimer type, 1124
Stroe AE, Amin F, Hashmi A, Densmore D, Kahn T, Knott PJ. Diurnal variation in plasma homovanillic acid: not a real phenomenon, 621
Strous RD, Bark N, Woerner M, Lachman HM. Lack of association of a functional catechol-O-methyltransferase gene polymorphism in schizophrenia, 493
Strubel D. See Strittmatter M
Suckow RF. See Lifshitz K
Sudo N, Sogawa H, Komaki G, Kubo C. The serotonin- induced elevation of intracellular Ca^{2+} in human platelets is enhanced by total fasting, 618
Sullivan K. See Lam RW
Sumiyoshi T, Hasegawa M, Jayathilake K, Meltzer HY. Sex differences in plasma homovanillic acid levels in schizophrenia and normal controls: relation to neuroleptic resistance, 560
Sunderland T
See Lawlor BA
See Martinez R
Sutherland G. See Enns M
Suzuki T. See Terao T
Suzuki T, Kurita H, Hori T, Sasaki M, Baba A, Shiraishi H, Piletz JE. The Pisa syndrome (pleurothotonus) during antidepressant therapy, 234
Swaab DF. See Van Someren EJW
Swartz CM. Flawed model of caffeine effects on electroconvulsive therapy, 991-corr
Swayze V. See Nopoulos P
Sweet RA. See Zubenko GS
Swerdlow NR, Hartman PL, Auerbach PP. Changes in sensorimotor inhibition across the menstrual cycle: implications for neuropsychiatric disorders, 452
Syndulko K. See Lawford BR
Szechtman H. See MacFarlane JG
Szóke A. See Kálmán J
Szot P. See Neumaier JF

Takahashi N. See Terao T
Takamatsu J. See Igata-Yi R
Takamiya S. See Fujimoto S
Takano T. See Terao T
Takei N. See Kunugi H
Tani K. See Zhang H-Y
Taylor GA. See Moore PB
Tenke CE. See Bruder GE
TenVoorde BJ. See van Zijderveld GA
Terao T, Yoshimura R, Ohmori O, Takano T, Takahashi N, Iwata N, Suzuki T, Abe K. Effect of serum cholesterol levels on meta-chlorophenylpiperazine-evoked neuroendocrine responses in healthy subjects, 974
Terao T, Yoshimura R, Shiratuchi T, Abe K. Effects of lithium on steroid-induced depression, 1226
Thakore J. See Maguire TM, 1131
Thakore JH, Richards PJ, Reznek RH, Martin A, Dinan TG. Increased intra-abdominal fat deposition in patients with major depressive illness as measured by computed tomography, 1140
Thase ME, Kupfer DJ, Fasiczka AJ, Buysse DJ, Simons AD, Frank E. Identifying an abnormal electroencephalographic sleep profile to characterize major depressive disorder, 964
Thomas C. See Weisbrod M
Thome J. See Heidrich A
Thompson K. See Martinez R
Tien AY. See Pearlson GD
Tilders FJH. See van Zijderveld GA
Tintoré M. See Galard R
Tomoda A, Miike T, Yonamine K, Adachi K, Shiraishi S. Disturbed circadian core body temperature rhythm and sleep disturbance in school refusal children and adolescents, 810
Tondo L. See Poland RE
Tortorella A. See Monteleone P
Towey JP. See Bruder GE
Treit D. See Kalynchuk LE
Trenary M. See Buchsbaum MS
Truter R. See Russouw HG
Tshacher W, Scheier C, Hashimoto Y. Dynamical analysis of schizophrenia courses, 428
Tsuang D, Raskind MA, Leverenz J, Peskind ER, Schellenberg G, Bird TD. The effect of apolipoprotein E genotype on expression of an autosomal dominant schizophreniform disorder with progressive dementia and neurofibrillary tangles, 191
Tsuang MT. See Milberger S
Tsuda T. See Cantillon M
Tu XM. See Frank E
Tupler LA. See Krishnan KRR
Tyrer SP. See Moore PB

Uemoto M. See Fujimoto S
Uretsky NJ. See Boutros NN
Urner U. See Wirz-Justice A

Vaccarino FJ. See Levitan RD
Vaddadi KS. See Gallucci RM
van der Gaag R-J. See Jonkman LM
van Doornen LJP. See van Zijderveld GA
van Dyck R. See van Zijderveld GA
van Engeland H. See Jonkman LM
Van Kammen M. See Malaspina D
van Os J, Fañanas L, Cannon M, Macdonald A, Murray R. Dermatoglyphic abnormalities in psychosis: a twin study, 624
van Proosdij J. See Cheeta S

Van Someren EJW, Kessler A, Mirmiran M, Swaab DF. Indirect bright light improves circadian rest–activity rhythm disturbances in demented patients, 955
van Zijderveld GA, TenVoorde BJ, Veltman DJ, van Doornen LJP, Orlebeke JF, van Dyck R, Tilders FJH. Cardiovascular, respiratory, and panic reactions to epinephrine in panic disorder patients, 249
Veltman DJ. See van Zijderveld GA
Verbaten MN. See Jonkman LM
Verburg K, de Leeuw M, Pols H, Griez E. No dynamic lung function abnormalities in panic disorder patients, 834
Vermetten E. See Bremner JD
Vitiello MV. See Avery DH
Voglmeier MM, Seidman LJ, Salisbury D, McCarley RW. Neuropsychological dysfunction in schizotypal personality disorder: a profile analysis, 530
Volz H-P, Rzanny R, May S, Hegewald H, Preußler B, Hajek M, Kaiser WA, Sauer H. ^{31}P Magnetic resonance spectroscopy in the dorsolateral prefrontal cortex of schizophrenics with a volume selective technique—preliminary findings, 644
von Moltke LL, Duan SX, Greenblatt DJ, Fogelman SM, Schmider J, Harmatz JS, Shader RI. Venlafaxine and metabolites are very weak inhibitors of hyman cytochrome P450-3A isoforms, 377

Wacker HR. See Landmann R
Wada J, Nanbu Y, Jiang Z-Y, Koshino Y, Yamaguchi N, Hashimoto T. Electroencephalographic abnormalities in patients with presenile dementia of the Alzheimer type: quantitative analysis at rest and during photic stimulation, 217
Waller L. See Nilsson A
Walters C. See O'Sullivan BT
Wang S, Mason J, Charney D, Yehuda R, Riney S, Southwick S. Relationships between hormonal profile and novelty seeking in combat-related posttraumatic stress disorder, 145
Warren RP. See Singh VK
Warsh JJ
See Hudson CJ
See Mathews R
Watson SJ
See Little KY
See Young EA
Wei F-C. See Chen C-H
Wei J, Xu H-M, Ramchand CM, Hemmings GP. Is the polymorphic microsatellite repeat of the dopamine β-hydroxylase gene associated with biochemical variability of the catecholamine pathway in schizophrenia?, 762
Weinberger DR
See Fleming K
See Kulynych JJ
Weingartner H
See Martinez R
See Wolkowitz OM
Weinhold LL. See Herning RI
Weisbrod M, Winkler S, Maier S, Hill H, Thomas C, Spitzer M. Left lateralized P300 amplitude deficit in schizophrenic patients depends on pitch disparity, 541
Weissenburger JE. See Rush AJ
Weizman A. See Manor I
Weller M. See Kornhuber J
Welm S. See Mendelson J
Wessely S. See Allain TJ
White BJ. See Murphy DGM
Whybrow PC. See Gyulai L
Wiethe KE. See Mathew RJ
Wildt L. See Zimmermann U
Wilhelmsen L. See Nilsson A
Willner P. See Cheeta S
Wilson WH. See Mathew RJ
Wiltfang J. See Huether G
Winkler S. See Weisbrod M
Wirz-Justice A, Remé C, Prünte A, Heinen U, Graw P, Urner U. Lithium decreases retinal sensitivity, but this is not cumulative with years of treatment, 743
Woerner M
See Strous RD
See Yordanova J
Wolkowitz OM, Reus VI, Roberts E, Manfredi F, Chan T, Raum WJ, Ormiston S, Johnson R, Canick J, Brizendine L, Weingartner H. Dehydroepiandrosterone (DHEA) treatment of depression, 311
Worth JL. See English CD
Wu J. See Buchsbaum MS

Xu H-M. See Wei J

Yagi G. See Yamada K
Yamada K, Kanba S, Ohnisi K, Ashikari I, Yagi G, Asai M. Changes in symptoms and plasma homovanillic acid with amantadine hydrochloride in chronic schizophrenia, 1062
Yamada Y. See Onishi H
Yamaguchi N. See Wada J
Yee F, Yolken RH. Identification of differentially expressed RNA transcripts in neuropsychiatric disorders, 759-ed
Yehuda R. See Wang S
Yolken RH. See Yee F
Yonamine K. See Tomoda A
Yordanova J, Dumais-Huber C, Rothenberger A, Woerner W. Frontocortical activity in children with comorbidity of tic disorder and attention-deficit hyperactivity disorder, 585
Yoshimura R. See Terao T
Young EA, Lopez JF, Murphy-Weinberg V, Watson SJ, Akil H. Normal pituitary response to metayrapone in the morning in depresed patients: implications for circadian regulation of cortiocoptropin-releasing hormone secretion, 1049
Young LT. See Mathews R
Young RM. See Lawford BR
Younkin S. See Gyulai L
Yuh WTC. See Nopoulos P
Yurgelun-Todd DA. See Renshaw PF

Zelikovski A. See Rudnick A
Zerbin D. See Oades RD
Zhang H-Y, Ishigaki T, Tani K, Chen L, Chen Shih J, Miyasato K, Ohara Kenshiro, Ohara Koichi. Serotonin $_{2A}$ receptor gene polymorphism in mood disorders, 768
Zhou D. See Huether G
Zimmermann U, Rechlin T, Plaskacewicz GJ, Barocka A, Wildt L, Kaschka WP. Effect of naltrexone on weight gain and food craving induced by tricyclic antidepressants and lithium: an open study, 747
Zis AP. See Lam RW
Zubenko GS, Marino LJ Jr, Sweet RA, Hind Rifai A, Mulsant BH, Pasternak RE. Medical comorbidity in elderly psychiatric patients, 724
Zurrón M, Díaz F. Auditory event-related potentials in mentally retarded subjects during active and passive oddball experiments, 201

Subject Index to Volume 41

Abdominal adipose stores
  major depression and, 1140
Aborigines
  alcohol dehydrogenase and aldehyde dehydrogenase genotypes and alcoholism among, 703
  DRD4 gene in alcoholism and, 394
Abstinence
  EEG beta in cocaine dependence and, 1087
Abstraction
  schizotypal personality disorder and, 530
Abuse liability
  buprenorphine/naloxone interactions in methadone maintenance and, 1095
Accelerator mass spectrometry
  gastrointestinal absorption of aluminum in Down's syndrome and, 488
Acquired immunodeficiency syndrome (AIDS)
  dementia complex, frontal lobe cytosolic choline levels in, 500
  HIV-1 infected individuals without, neuropsychiatric status in, 474
Actigraphy
  indirect bright light improves circadian rest-activity rhythm disturbances in dementia and, 955
Activation
  EEG, regional brain asymmetries and, 939
Activation-euphoria
  m-CPP challenge test in cocaine addicts and, 1071
Active oddball tasks
  auditory event-related potentials in mental retardation and, 201
Addicts
  cocaine, 1071, 1087
[^{32}P]Adenosine diphosphate (ADP)
  guanine nucleotide binding proteins in opioid dependence and, 130
Adipose stores
  intra-abdominal, major depression and, 1140
Adolescents
  depression in, urinary free cortisol and, 369
  school refusal in, 810
Adrenal steroids
  DHEA for depression and, 311
Adrenocorticoids
  intra-abdominal fat deposition in major depression and, 1140
Adrenocorticotropic hormone (ACTH)
  corticotropin-releasing hormone and, in panic disorder, 76
  pulsatile, 342
  serum cholesterol effect on m-CPP-evoked neuroendocrine responses and, 974
Adult chronic hydrocephalus syndrome
  CSF cholecystokinin, and, 804
A.E. Bennett Research Award 1997, 124, 254
Affective disorders
  regional brain asymmetries in depression and, 939
  sertraline effect on regional metabolic rate in, 15
Affective psychosis
  lymphocyte spiperone binding in, 107
Affiliation
  and social stress and depression in female cynomolgus monkeys, 871
Age of onset
  and apolipoprotein E in familial dementia with psychosis, 191
  cardiac vagal tone in schizophrenia and, 612
  dexamethasone pharmacokinetics and, 574
  DHEA for depression and, 311
  dopamine D2 receptors in narcolepsy and, 305
  EEG analysis in presenile Alzheimer's disease and, 217
  gastrointestinal absorption of aluminum in Down's syndrome and, 488
  guanine nucleotide binding proteins in opioid dependence and, 130
  lithium effects on retinal electrophysiologic function and, 737
  low cholesterol in suicide attempters and, 196
  medical comorbidity in elderly psychiatric inpatients and, 724
  ^{31}P magnetic resonance spectroscopy in dorsolateral prefrontal cortex of schizophrenics and, 644
  P300 left lateralized deficit in schizophrenics and, 541
  PET study of Turner's syndrome and, 285
  plasma homovanillic acid levels in schizophrenia and, 560
  and serotonergic function and aggression in boys with ADHD, 682

© 1997 Society of Biological Psychiatry

0006-3223/97/$17.00
PII S0006-3223(97)00236-9

and serotonin transporter and glucocorticoids, 172
sialyl transferase levels and HPA axis function, 1131
Aggression
boys with ADHD and, 682
dopamine agonists after fluphenazine and, 657
heritability and, 273
impulsive, neuropsychological and cognitive psychophysiological substrates of, 1045
laboratory and psychometric measurements of, 514, 523
m-CPP challenge test in cocaine addicts and, 1071
and social stress and depression in female cynomolgus monkeys, 871
subjective and behavioral measures of, serotonergic status and, 1147-corr
Agonal state
hippocampal receptors in schizophrenia and, 636
Akathisia
sertraline-induced, 241
Alcohol dehydrogenase
genotypes, alcoholism among Taiwanese aborigines and, 703
Alcoholism
and alcohol dehydrogenase and aldehyde dehydrogenase genotypes, 703
and cigarette smoking and abnormal voluntary movements in general male population, 717
DAT1 gene in, 299
dementia associated with, indirect bright light improves circadian rest-activity rhythm disturbances in, 955
DRD2 gene and, 386
DRD4 gene and, 394
m-CPP challenge test in cocaine addicts and, 1071
Aldehyde dehydrogenase
genotypes, alcoholism among Taiwanese aborigines and, 703
Alertness
wakeful, P50 suppression relationship to variations in, 891
Alleles
and alcohol dehydrogenase and aldehyde dehydrogenase genotypes and alcoholism among Taiwanese aborigines, 703
and apolipoprotein E in familial dementia with psychosis, 191
DAT1 gene polymorphism and, 299
dopamine D_2 receptor, alcoholism and, 386
DRD4 gene, alcoholism and, 394
5-HT_{2A} receptor gene polymorphism and, 768
Alpha band
EEG analysis in presenile Alzheimer's disease and, 217
in major depression with or without anxiety disorder, 939
Alprazolam
for panic disorder, 76
Aluminum
gastrointestinal absorption of, Down's syndrome and, 488
Alzheimer's disease
apolipoprotein E genotype in, 246
apolipoprotein E in familial dementia with psychosis and, 191
CSF in, molecular forms of somatostatin-like immunoreactivity and, 1124
gastrointestinal absorption of aluminum in Down's syndrome and, 488
indirect bright light improves circadian rest-activity rhythm disturbances in, 955
late-onset depression in, 246
and mydriatic response to tropicamide as sign of cholinergic hypersensitivity, 909
presenile, EEG analysis in, 217
and psychotogenicity and NMDA antagonism, 135
Amantadine hydrochloride
with plasma homovanillic acid, schizophrenia and, 1062
and psychotogenicity and NMDA antagonism, 135
Ambient room temperature
niacin challenge test in schizophrenia and, 507
Ami aborigines
alcohol dehydrogenase and aldehyde dehydrogenase genotypes and alcoholism among, 703
DRD4 gene in alcoholism and, 394
Aminergic tone
REM sleep differential response to cholinergic blockade by scopolamine and, 929
Amines
CSF, suicidality and, 162
IMP SPECT brain imaging in rapid cycling bipolar disorder and, 152
Aminochromes
one-carbon metabolism in neuropsychiatric disorders and, 230
α-Amino-3-hydroxy-5-methyl-4-isoxazole propionate (AMPA) receptor, medial temporal lobe in schizophrenia and, 636
Amphetamine
dopamine agonists after fluphenazine and, 657
Amplitude
audiogenic startle reflex in Tourette's syndrome and, 796
Amygdala
long-term kindling, emotional behavior changes and, 438
Analysis of covariance (ANCOVA)
and serotonergic function and aggression in boys with ADHD, 682
Anhedonia
chronic mild stress disrupts REM sleep, 419
Animal models
of depression, chronic mild stress disrupts REM sleep and, 419
ethological, human repetitive behavioral spectrum disorders and, 226
Anorexia nervosa
restrictive, and cholecystokinin and pancreatic polypeptide responses to fat rich meal, 1068
Antacids
gastrointestinal absorption of aluminum in Down's syndrome and, 488
Antenatal depression
thyroid antibodies and, 1143

Antibodies
CSF viral, OCD and, 883
hippocampal receptors in schizophrenia and, 636
Anticancer agents
metabolism of psychoactive drugs and, 814
Anticholinergics
Pisa syndrome and, 234
Antidepressants
chronic mild stress disrupts REM sleep, 419
DHEA and, 311
metabolism of psychoactive drugs and, 814
monocytes in major depression and, 675
Pisa syndrome and, 234
SSRI effects on platelet serotonin in major depressive disorder and, 184
thyrotropin-releasing hormone and, 264
weight gain induced by, naltrexone and, 747
Antipsychotics
dopamine agonists after fluphenazine and, 657
metabolism of psychoactive drugs and, 814
Pisa syndrome and, 234
relative cerebral blood perfusion in schizophrenia and, 550
Anxiety disorders
cerebral blood flow and, 782
flumazenil for, 988
heart rate variability in PTSD and, 627
regional brain asymmetries in depression and, 939
Apolipoprotein E genotype
late-onset depression in Alzheimer's disease and, 246, 912-corr
psychosis and, 906
and schizophreniform disorder with dementia and neurofibrillary tangles, 191
Apomorphine
dopamine agonists after fluphenazine and, 657
Architecture
REM sleep, chronic mild stress and, 419
Association neocortices
PET study of Turner's syndrome and, 285
Association study
and serotonin transporter gene and manic depression, 750
Assymetry
cerebral, in schizophrenia vs. bipolar disorder, 1
Atayal aborigines
alcohol dehydrogenase and aldehyde dehydrogenase genotypes and alcoholism among, 703
DRD4 gene in alcoholism and, 394
Atomic absorption spectrometry
gastrointestinal absorption of aluminum in Down's syndrome and, 488
Atrophy
cerebral, HIV-negative neurosyphilis and, 467
Attention
ADHD and, 595
schizotypal personality disorder and, 530
Attention deficit hyperactivity disorder (ADHD)
aggression in boys with, serotonergic function and, 682
event-related potentials in, 595
and gene-environment interaction in pregnancy, delivery, and infancy complications, 65
selective attention in, 595, 690
tic disorder comorbidity with in children, 585
Attention-dependent augmentation
of MMN in schizophrenia, OCD and, 1196
Atypical depression
bulimia nervosa and, 366
Audiogenic startle reflex
Tourette's syndrome and, 796
Auditory-evoked potentials (AEPs)
brain serotonergic activity and, 1181
mentally retarded subjects in oddball tasks and, 201
P50 amplitude and, 891, 902
peak distribution of, transient global amnesia and, 237
Auditory oddball paradigm
P300 left lateralized deficit in schizophrenics and, 541
peak distribution of ERPs during transient global amnesia and, 237
Auditory selective attention tasks
ADHD and, 595, 690
Auditory stimuli
audiogenic startle reflex in Tourette's syndrome and, 796
Auditory verbal supraspan memory
vs. visual fixation, in schizophrenia, 33
Auditory warned reaction task
comorbidity of tic disorder and ADHD in children and, 585
Autism
hyperserotoninemia and serotonin receptor antibodies in, 753
Autoimmunity
hyperserotoninemia and serotonin receptor antibodies in autism but not mental retardation, 753
Automated perimetry
lithium effects on retinal sensitivity and, 743
Automatic processes
auditory event-related potentials in mental retardation and, 201
Autonomic nervous system
cardiac vagal tone in schizophrenia and, 612
heart rate variability in PTSD and, 627
Autoreceptor
and learned helplessness and 5-HT_{1B} mRNA, 668
Autosomal dominance
of schizophreniform disorder, apolipoprotein E in familial dementia and, 191
Aversive stimulus
aggression in parolees and, 514, 523

Barratt Impulsivity Scale (BIS-11)
impulsivity in parolees and, 523
Basal ganglia
antipsychotic effect on relative cerebral blood perfusion in schizophrenia and, 550
choline levels, in depression and response to fluoxetine treatment, 837
kinematic analysis of handwriting movements in

schizophrenia and, 830
neuropsychiatric implications of dysfunction and, 383-ed
sensorimotor control and, 1148-corr
Behavior
aggression in parolees and, 514, 523
amygdala kindling and, 438
in cats, auditory-evoked potentials as indicator of brain serotonergic activity and, 1181
cholecystokinin levels in adult chronic hydrocephalus syndrome and, 804
chronic fatigue syndrome and, 567
comorbidity of tic disorder and ADHD in children and, 585
dopamine agonists after fluphenazine and, 657
ethological animal models and, 226
impulsivity in parolees and, 523
and learned helplessness and 5-HT_{1B} mRNA, 668
monoamine depletion in healthy subjects and, 58
PET study of Turner's syndrome and, 285
sensorimotor changes across menstrual cycle and, 452
serotonergic status and, 1147-corr
and serotonin transporter gene and manic depression, 750
and social stress and depression in female cynomolgus monkeys, 871
Benzodiazepines
metabolism of psychoactive drugs and, 814
for posttraumatic stress disorder, 988
Bereavement
and sleep and complicated grief symptoms, 710
Beta band
EEG in cocaine dependence and, 1087
EEG in presenile Alzheimer's disease and, 217
and P50 suppression relationship to variations in wakeful alertness, 891
Bias
protopathic, 257-ed
Biceps muscle
audiogenic startle reflex in Tourette's syndrome and, 796
Bimodal distribution
cardiac vagal tone in schizophrenia and, 612
Biological markers
newly admitted psychotic patients and, 865
Biorhythm desynchronization
in school refusal children and adolescents, 810
Biotransformation
enzymatic, metabolism of psychoactive drugs and, 814
Bipolar disorder
DST nonsuppression in, 915
5-HT_{2A} receptor gene polymorphism in, 768
$G\alpha_{q/11}$ immunoreactivity in, 649
lifestyle regularity in recovering patients and, 1165
lithium effects on retinal electrophysiologic function in, 737
niacin challenge test in schizophrenia and, 507
rapid cycling, bone mineral density and L-thyroxine treatment in, 503
rapid cycling, IMP SPECT brain imaging in, 152
REM latency in, 915
and serotonin transporter gene and manic depression, 750
thyrotropin-releasing hormone in, 264
TRH stimulation test in, 915
Blood-brain barrier
thyrotropin-releasing hormone and, 264
Blood levels
of trazodone and m-CPP, 756
Blunting
thyrotropin-releasing hormone stimulation test, 915
Body temperature
circadian core rhythm, in school refusal children and adolescents, 810
Bone mineral density
rapidly cycling bipolar disorder and, 503
Boys
with ADHD, serotonergic function and aggression in, 682
Brain
cavum septum pellucidi in normals and schizophrenia, 1102
diurnal variation in plasma homovanillic acid and, 621
hippocampal receptors in schizophrenia and, 636
IMP SPECT imaging in rapid cycling bipolar disorder and, 152
laterality, in major depression with or without anxiety disorder, 939
lithium concentration, magnetic resonance spectroscopy and, 844
and neuropsychiatric status in HIV-1 infection without AIDS, 474
PET, of auditory verbal supraspan memory vs. visual fixation in schizophrenia, 33
PET, of Turner's syndrome, 285
serotonergic activity, auditory-evoked potentials and, 1181
and serotonin transporter and glucocorticoids, 172
suicide, serotonergic, noradrenergic, and dopaminergic measures in, 1000
Brief Psychiatric Rating Scale
first-episode neuroleptic-free schizophrenics and haloperidol treatment, 857
plasma homovanillic acid levels in schizophrenia and, 560
Bright light
indirect, circadian rest-activity disturbances in dementia and, 955
morning, phase delay in hypersomnic winter depression and, 1109
Bulimia nervosa
and cholecystokinin and pancreatic polypeptide responses to fat rich meal, 1068
plasma cortisol in, 366
Bunun aborigines
alcohol dehydrogenase and aldehyde dehydrogenase genotypes and alcoholism among, 703
Buprenorphine
naloxone interactions and, in methadone maintenance patients, 1095
Bupropion
and sertraline and akathisia, 241
Buss-Durkee Hostility Inventory

twin study and, 273
b-wave amplitude
lithium effects on retinal electrophysiologic function and, 737

Ca^{2+}
platelet, serotonin and, 618
Caffeine
electroconvulsive therapy and, 991-corr, 991-corr (response)
California Verbal Learning Test
schizotypal personality disorder and, 530
Capture
resistance to, and emotionality and amygdala kindling, 438
Carbon
metabolism, neuropsychoatric disorders and, 230
Carbon dioxide (CO_2)
hypersensitivity to, as trait marker for panic disorder, 259
inhalation, and cerebral blood flow associated with anxiety, 782
Cardiac conduction defect
mitochondrial transfer $RNA^{Leu(UUR)}$ mutation in depression and, 1137
Cardiovagal tone
schizophrenia and, 612
Cardiovascular status
and cigarette smoking and abnormal voluntary movements in general male population, 717
epinephrine in panic disorder and, 249
Catecholamine pathway
schizophrenia and, 762
Catechol-O-methyltransferase
gene polymorphism, schizophrenia and, 493, 985
Cats
behaving, auditory-evoked potentials as indicator of brain serotonergic activity and, 1181
Cavum septum pellucidi
schizophrenia and, 1102
CD14 antigen
monocytes in major depression and, 675
Cebus apella
with previous long-term exposure to fluphenazine, dopamine agonist effects on, 657
Central amplitude
and methylphenidate and selective attention in ADHD, 690
Central nervous system (CNS)
cholecystokinin levels in adult chronic hydrocephalus syndrome and, 804
lithium effects on retinal sensitivity and, 743
and serotonin transporter and glucocorticoids, 172
sialyl transferase levels and HPA axis function, 1131
Cerebral assymetry
in schizophrenia vs. bipolar disorder, medial and superior temporal gyrus volumes and, 1
Cerebral atrophy
HIV-negative neurosyphilis and, 467
Cerebral blood flow
anxiety and, 782
IMP SPECT brain imaging in rapid cycling bipolar disorder and, 152
Cerebral blood perfusion
IMP SPECT brain imaging in rapid cycling bipolar disorder and, 152
relative, schizophrenia and, 550
Cerebral blood velocity
while reclining and standing, nitrous oxide and, 979
Cerebral cortex
$G\alpha_{q/11}$ immunoreactivity in bipolar affective disorder and, 649
and learned helplessness and 5-HT_{1B} mRNA, 668
schizophrenia and, 995
Cerebral glucose metabolism
PET study of Turner's syndrome and, 285
Cerebral ischemia
HIV-negative neurosyphilis and, 467
Cerebrospinal fluid (CSF)
cholecystokinin, adult chronic hydrocephalus syndrome and, 804
in SDAT, molecular forms of somatostatin-like immunoreactivity and, 1124
viral antibodies, OCD and, 883
Cervical sympathetic fibers
and cerebral blood flow associated with anxiety, 782
Chaos
deterministic, dynamical analysis of schizophrenia courses and, 428
Children
ADHD in, 585, 595, 682
autism in, 753
hippocampal volume in PTSD related to childhood abuse in, 23
mental retardation in, 753
school refusal in, 810
m-Chlorophenylpiperazine (m-CPP)
challenge test, in cocaine addicts, 1071
neuroendocrine responses evoked by, serum cholesterol levels and, 974
trazodone and, 756
Cholecystokinin (CCK)
CSF, adult chronic hydrocephalus syndrome and, 804
response to fat-rich meal, anorexia nervosa and, 1068
Cholesterol
serum, m-CPP-evoked neuroendocrine responses and, 974
serum, suicide attempters and, 196
Choline
basal ganglia levels, in depression and response to fluoxetine treatment, 837
frontal lobe cytosolic, in AIDS dementia complex, 500
Cholinergic hypersensitivity
mydriatic response to tropicamide and, 909
Chromosome 22q11-11
schizophrenia and, 985
Chronic fatigue syndrome
changes in, 567
Cigarette smoking

abnormal voluntary movements in general male population and, 717
Circadian rhythms
in Alzheimer's disease dementia, indirect bright light improves disturbances in, 955
core body temperature, in school refusal children and adolescents, 810
lithium effects on retinal sensitivity and, 737, 743
pulsatile ACTH and, 342
Circadian temperature
during constant routine, phase delay in hypersomnic winter depression and, 1109
Circulation
niacin challenge test in schizophrenia and, 507
Citrate
gastrointestinal absorption of aluminum in Down's syndrome and, 488
Classification analyses
EEG sleep profile in major depressive disorder and, 964
Cloninger Tridimensional PErsonality Questionnaire
hormonal profile and novelty seeking in PTSD and, 145
Cocaine
addicts, m-CPP challenge test in, 1071
dependence, neurophysiological signs of, 1087
sensory inhibition and, 461
Coenzyme Q_{10}
mitochondrial transfer $RNA^{Leu(UUR)}$ mutation in, 1137
Cognitive behavior therapy
EEG sleep profile in major depressive disorder and, 964
Cognitive impairment
auditory event-related potentials in mental retardation and, 201
HIV-negative neurosyphilis and, 467
and neuropsychiatric status in HIV-1 infection without AIDS, 474
PET study of Turner's syndrome and, 285
schizotypal personality disorder and, 530
scopolamine-induced, dextroamphetamine and, 50
Cognitive psychophysiological substrates
impulsive aggression and, 1045
Cohort study
and neuropsychiatric status in HIV-1 infection without AIDS, 474
Combat veterans
hormonal profile and novelty seeking in PTSD and, 145
physiologic responses to loud tones in Israeli veterans of Yom Kippur War and, 319
Comorbidity
anxiety and depression, 939
tic disorder and ADHD, 585
Composite behavioral variables
dopamine agonists after fluphenazine and, 657
Computed tomography (CT)
intra-abdominal fat deposition in major depression and, 1140
Conjugate lateral eye movements
in paranoid schizophrenia and major depression, 1065
Constant routine
phase delay in hypersomnic winter depression and, 1109
Contralateral hemispheres
and conjugate lateral eye movements in paranoid schizophrenia and major depression, 1065
Control conditions
comorbidity of tic disorder and ADHD in children and, 585
Controlled processes
auditory event-related potentials in mental retardation and, 201
Core body temperature
niacin challenge test in schizophrenia and, 507
Coronary care units
development of delirium in, 1211
Corticosteroids
monocytes in major depression and, 675
Corticotropin
pulsatile ACTH and, 342
Corticotropin-releasing hormone (CRH)
and ACTH and cortisol, in panic disorder, 76
Cortisol
during constant routine, phase delay in hypersomnic winter depression and, 1109
corticotropin-releasing hormone and, in panic disorder, 76
DHEA for depression and, 311
intra-abdominal fat deposition in major depression and, 1140
m-CPP challenge test in cocaine addicts and, 1071
newly admitted psychotic patients and, 865
novelty seeking in PTSD and, 145
plasma, bulimia nervosa and, 366
serum cholesterol effect on m-CPP-evoked neuroendocrine responses and, 974
sialyl transferase levels and HPA axis function, 1131
and social stress and depression in female cynomolgus monkeys, 871
urinary free, adolescent depression and, 369
Cosinor curve
in school refusal children and adolescents, 810
C-peptide
chronic fatigue syndrome and, 567
Creatine
basal ganglia choline levels in depression and fluoxetine treatment, 837
Creatinine
diurnal urine volume estimates in polydipsic schizophrenics and, 374
Criminal history
violent, aggression in parolees and, 514
violent, impulsivity in parolees and, 523
C-T ratio
and P50 suppression relationship to variations in wakeful alertness, 891
Cumulative effects
lack of, lithium effects on retinal sensitivity and, 743
Cushing's syndrome
intra-abdominal fat deposition in major depression and,

1140
Cynomolgus monkeys
female, behavior and physiology of social stress and depression in, 871
Cytochrome P450
metabolism of psychoactive drugs and, 814
Cytochrome P450-3A
isoforms, venlafaxine and, 377
Cytomegalovirus (CMV)
CSF viral antibodies for, obsessive=compulsive disorder and, 883
Cytoskeleton
and apolipoprotein E in familial dementia with psychosis, 191
Cytosol
basal ganglia choline levels in depression and fluoxetine treatment, 837
choline levels, in AIDS dementia complex, 500

Dantrolene
vs. levodopa, intravenous injection of for neuroleptic malignant syndrome, 913-corr
Dark adaptation
lithium effects on retinal sensitivity and, 743
Daytime
sleep latency, and subjective and psychophysiologic insomnia, 209
Defensive behavior
amygdala kindling and, 438
Dehydroepiandrosterone (DHEA)
for depression, 311
Delayed sleep phase syndrome
in school refusal children and adolescents, 810
Delay length
impulsivity in parolees and, 523
Delirium
in coronary care units, psychophysiological study of, 1211
DAT1 gene polymorphism and, 299
Delivery
and ADHD, gene-environment interaction in, 65
Delta band
EEG in presenile Alzheimer's disease and, 217
EEG sleep in depression and, 406
Deltoid muscle
audiogenic startle reflex in Tourette's syndrome and, 796
Dementia
AIDS dementia complex and, 500
Alzheimer's disease and, 1124
familial, and apolipoprotein E in schizophreniform disorder, 191
gastrointestinal absorption of aluminum in Down's syndrome and, 488
and psychotogenicity and NMDA antagonism, 135
Density
REM, cholinergic blockade by scopolamine and, 929
Depletion
monoamine, 58
tryptophan, 117, 949

Depression
animal model of, 419
apolipoprotein E genotype in, 246
apolipoprotein E-ϵ4 allele frequency in, 912-corr, 912-corr (response)
basal ganglia choline levels in, 837
and behavior and physiology of in female cynomolgus monkeys, 871
bulimia nervosa and, 366
cholesterol in suicide attempters and, 196
chronic mild stress disrupts REM sleep in, 419
complicated grief symptoms in, 710
CSF amines and suicidality in, 162
dexamethasone suppression test in, 574
DHEA for, 311
EEG sleep in, 369, 406, 964
EEG photic driving in, 496
fluoxetine for, 837
5-hydroxytryptamine in, 1028
5-hydroxytryptamine$_{2A}$ receptor gene polymorphism in, 768
IMP SPECT brain imaging in rapid cycling bipolar disorder and, 152
intra-abdominal fat deposition in, 1140
and learned helplessness and 5-HT$_{1B}$ mRNA, 668
lithium for, 743, 844, 1225
medical comorbidity in elderly psychiatric inpatients and, 724
mitochondrial transfer RNA$^{Leu(UUR)}$ mutation in, 1137
phase delay in, 1109
plasma MHPG predicts fluoxetine response in, 774
REM sleep differential response to cholinergic blockade by scopolamine and, 929
reversed neurovegetative symptoms of, 366
serotonin in, 184
and serotonin transporter and glucocorticoids, 172
serotonin transporter gene in, 750
sialyltransferase in, 1131
SSRIs for, 184
steroid-induced, 1225
thyroid antibodies in, 1143
thyrotropin-releasing hormone in, 264
tryptophan depletion in, 949
urinary free cortisol in, 369
des-ala-somatostatin
in SDAT CSF, 1124
Desynchronization
biorythm, in school refusal children and adolescents, 810
Detoxification unit
DRD2 gene in alcoholism and, 386
Development
and serotonergic function and aggression in boys with ADHD, 682
Dexamethasone
pharmacokinetics of, 574
and serotonin transporter and glucocorticoids, 172
Dexamethasone suppression test (DST)
depression and, 574, 915

monocytes in major depression and, 675
Dextroamphetamine
scopolamine-induced cognitive impairments and, 50
Diabetes mellitus
mitochondrial transfer RNA$^{Leu(UUR)}$ mutation in depression and, 1137
Dichotic listening measures
cardiac vagal tone in schizophrenia and, 612
Dietary exposure
gastrointestinal absorption of aluminum in Down's syndrome and, 488
Differential expression
of RNA transcripts, 759-ed
Digestive system diseases
with major depression, medical comorbidity in elderly psychiatric inpatients and, 724
Direct agonist
dopamine agonists after fluphenazine and, 657
Direct assault
Buss-Durkee aggression scales and, 273
Discriminant function analysis
guanine nucleotide binding proteins in opioid dependence and, 130
Discriminant index score
EEG sleep profile in major depressive disorder and, 964
"Discriminating" mental retardation
auditory event-related potentials and, 201
Diurnal variation
plasma homovanillic acid and, 621
urine volume estimates, polydipsic schizophrenics and, 374
Dizygotic twins
Buss-Durkee aggression scales and, 273
Dizziness
and NO effect on cerebral blood velocity while reclining and standing, 979
Dominance behavior
and social stress and depression in female cynomolgus monkeys, 871
Dopamine
agonists, after fluphenazine, 657
catechol-O-methyltransferase gene polymorphism in schizophrenia and, 493
D_2 receptor A1 allele, alcoholism and, 386
D_2 receptor gene and tardive dyskinesia in schizophrenia, TaqI polymorphism and, 827
D2 receptors, narcolepsy and, 305
D4 receptor gene, alcoholism and, 394
DAT1 transport gene polymorphism, alcoholism and, 299
diurnal variation in plasma homovanillic acid and, 621
ethological animal models and, 226
first-episode neuroleptic-free schizophrenics and haloperidol treatment, 857
Pisa syndrome and, 234
sensorimotor changes across menstrual cycle and, 452
and sertraline and akathisia, 241
suicide brain and, 1000
Doppler ultrasonography
transcranial, and NO effect on cerebral blood velocity while reclining and standing, 979
Dorsal raphe nucleus
learned helplessness and, 668
Dorsolateral prefrontal cortex
schizophrenia and, 644
Down-regulation
of serotonin transporter density, long-term food restriction and, 1174
Down's syndrome
gastrointestinal absorption of aluminum in, 488
Duration
REM, cholinergic blockade by scopolamine and, 929
Dynamical analysis
schizophrenia courses and, 428
Dynamic lung function
panic disorder and, 834
Dyskinesias
and cigarette smoking and abnormal voluntary movements in general male population, 717
Dysphoria
IMP SPECT brain imaging in rapid cycling bipolar disorder and, 152
Dysregulated synthesis
molecular forms of somatostatin-like immunoreactivity in SDAT CSF and, 1124
Dystonia
acute neuroleptic-induced, sigma receptors and, 1010
Pisa syndrome and, 234

Earning money
aggression in parolees and, 514
Edinburgh Postnatal Depression Scale
thyroid antibodies in antenatal depression and, 1143
Education
medical comorbidity in elderly psychiatric inpatients and, 724
Elderly
DHEA for depression in, 311
psychiatric inpatients, medical comorbidity and, 724
senile dementia of Alzheimer type in, 1124
and serotonin transporter and glucocorticoids, 172
sleep and complicated grief symptoms in, 710
Electrical brain activity
comorbidity of tic disorder and ADHD in children and, 585
Electrocardiogram (ECG)
cardiac vagal tone in schizophrenia and, 612
sleep, urinary free cortisol in adolescent depression and, 369
Electroconvulsive therapy (ECT)
caffeine and, 991-corr, 991-corr (response)
Electrodermal activity
as prodromal sign in schizophrenia, 111
Electrodes
ADHD and, 595
P300 left lateralized deficit in schizophrenics and, 541
Electroencephalogram (EEG)
beta, cocaine dependence and, 1087

P50 amplitude and, 902
photic driving, in schizophrenia and depression, 496
power abnormalities, in schizophrenia, 1020
quantitative, and neuropsychiatric status in HIV-1 infection without AIDS, 474
quantitative, presenile dementia of Alzheimer type and, 217
quantitative, regional brain asymmetries and, 939
sleep, depression and, 406
sleep, major depressive disorder and, 964
sleep measures, complicated grief symptoms and, 710
Electromyogram (EMG)
audiogenic startle reflex in Tourette's syndrome and, 796
physiologic responses to loud tones in Israeli veterans of Yom Kippur War and, 319
Electro-oculography (EOG)
lithium effects on retina, 737, 743
Electrophysiologic function
retinal, lithium and, 737
Electroretinogram (ERG)
lithium effects on retina, 737, 743
Elevated plus maze
and emotionality and amygdala kindling, 438
Emergency ward
low cholesterol in suicide attempters and, 196
Emotional behavior
amygdala kindling and, 438
Endogenous major depression
chronic mild stress disrupts REM sleep in, 419
DST nonsuppression in, 915
EEG sleep profile in, 964
Environment
and heritability of aggression and irritability, 273
Environmental illumination
daytime, circadian rest-activity rhythm disturbances in dementia and, 955
Environment-directed behavior
dopamine agonists after fluphenazine and, 657
Enzymes
metabolism of psychoactive drugs and, 814
Epidemiological study
and cigarette smoking and abnormal voluntary movements in general male population, 717
Epilepsy
and psychotogenicity and NMDA antagonism, 135
temporal lobe, and emotionality and amygdala kindling, 438
Epinephrine
and cerebral blood flow associated with anxiety, 782
panic disorder and, 249
Episode-related depression
adolescents and, 369
EEG sleep in, 406
Escape option
aggression in parolees and, 514
Estrogen
PET study of Turner's syndrome and, 285
sensorimotor changes across menstrual cycle and, 452
Ethnicity
DRD4 gene in alcoholism and, 394
Ethological animal models
human repetitive behavioral spectrum disorders and, 226
Euphoria
m-CPP challenge test in cocaine addicts and, 1071
and NO effect on cerebral blood velocity while reclining and standing, 979
Euthymia
IMP SPECT brain imaging in rapid cycling bipolar disorder and, 152
Event-related potentials (ERPs)
ADHD and, 595
mentally retarded subjects in oddball tasks and, 201
methylphenidate effect on in ADHD, 690
and P50 suppression relationship to variations in wakeful alertness, 891
P300 left lateralized deficit in schizophrenics and, 541
peak distribution of, transient global amnesia and, 237
Evoked potentials
cocaine effect on sensory inhibition and, 461
and neuropsychiatric status in HIV-1 infection without AIDS, 474
Excitotoxic neuronal injury
and psychotogenicity and NMDA antagonism, 135
Extended relative pair analysis
glutamate GluR5 receptor gene in schizophrenia and, 243
External validity
aggression in parolees and, 514

Facilitation
sensorimotor changes across menstrual cycle and, 452
Family history
and apolipoprotein E in familial dementia with psychosis, 191
negative, DRD2 gene in alcoholism and, 386
panic disorder and, 259
Fasting
total, serotonin-induced evevation of intracellular Ca^{2+} in platelets and, 618
Fatigue
chronic fatigue syndrome and, 567
in school refusal children and adolescents, 810
Fat-rich meal
cholecystokinin and pancreatic polypeptide responses to in anorexia nervosa, 1068
Fear
and social stress and depression in female cynomolgus monkeys, 871
Feedback loops
basal ganglia and, 1148-corr
Females
and social stress and depression in cynomolgus monkeys, 871
Fenfluramine
and serotonergic function and aggression in boys with ADHD, 682
Fetal development

dermatoglyphic abnormalities in twins and, 624
Fingerprint
qualitative, dynamical analysis of schizophrenia courses and, 428
Fingers
dermatoglyphic abnormalities in twins and, 624
First-degree relatives
panic disorder and, 259
Fisher's exact test
niacin challenge test in schizophrenia and, 507
Fitted rectal temperature
circadian, phase delay in hypersomnic winter depression and, 1109
Flumazenil
for posttraumatic stress disorder, 988
Fluoxetine
for depression, 837
mood response to tryptophan in healthy subjects and, 949
plasma free MHPG and, 774
Raynaud's phenomenon and, 1218
SSRI effects on platelet serotonin in major depressive disorder and, 184
Fluphenazine
dopamine agonists after, 657
Follicular phase
sensorimotor changes across menstrual cycle and, 452
Food craving
tricyclic antidepressant-induced, naltrexone and, 747
Food restriction
long-term, down-regulates serotonin transporter density in frontal cortex, 1174
Forearm flexors
audiogenic startle reflex in Tourette's syndrome and, 796
Forecasting
dynamical analysis of schizophrenia courses and, 428
Frequent stimuli
ADHD and, 595, 690
Frontal cortex
$G\alpha_{q/11}$ immunoreactivity in bipolar affective disorder and, 649
and learned helplessness and 5-HT_{1B} mRNA, 668
Frontal lobes
comorbidity of tic disorder and ADHD in children and, 585
cytosolic choline levels, in AIDS dementia complex, 500
HIV-negative neurosyphilis and, 467
Frontal networks
schizotypal personality disorder and, 530
Frontal processing negativity
and methylphenidate and selective attention in ADHD, 690
Frontal processing positivity
ADHD and, 595

$G\alpha_{q/11}$ immunoreactivity
bipolar disorder and, 649
Gamma-aminobutyric acid (GABA)
melatonin and, 336
Gangliosidosis type II
neuroleptic malignant syndrome with, 1222
Gastroenterology unit
DRD2 gene in alcoholism and, 386
Gastrointestinal absorption
of aluminum in Down's syndrome, 488
Gender differences
cavum septum pellucidi in normals and schizophrenia, 1102
cholesterol in suicide attempters and, 196
dexamethasone pharmacokinetics and, 574
dopamine D2 receptors in narcolepsy and, 305
DRD4 gene in alcoholism and, 394
EEG analysis in presenile Alzheimer's disease and, 217
and heritability of aggression and irritability, 273
lithium effects on retinal electrophysiologic function and, 737
PET study of Turner's syndrome and, 285
Pisa syndrome and, 234
plasma homovanillic acid levels in schizophrenia and, 560
schizotypal personality disorder and, 530
sensorimotor changes across menstrual cycle and, 452
sialyl transferase levels and HPA axis function, 1131
thyroid antibodies in antenatal depression and, 1143
Gene-environment interaction
in pregnancy, delivery, infancy complications, and ADHD, 65
General Health Questionnaire
thyroid antibodies in antenatal depression and, 1143
Generalized anxiety disorder (GAD)
cerebral blood flow associated with anxiety and, 782
Genes
catechol-O-methyltransferase, 493, 985
dopamine β hydroxylase, 762
dopamine D_2 receptor, 827
DAT1, 299
DRD2, 386
DRD4, 394
glutamate GluR5 receptor, 243
and heritability of aggression and irritability, 273
5-HT_{2A} receptor, 768
manic depression and, 750
mitochondrial transfer $RNA^{Leu(UUR)}$ mutation in depression and, 1137
schizophrenia and, 762, 985
serotonin transporter, 750
Genotype
alcohol dehydrogenase and aldehyde dehydrogenase, 703
apolipoprotein E, 191, 246, 256, 906
DRD4 gene in alcoholism and, 394
Geographic origin
DRD4 gene in alcoholism and, 394
George N. Thompson Award for Distinguished Service 1997, 126, 256
Geriatric psychiatry
medical comorbidity in elderly psychiatric inpatients and, 724
GE Starcam system
IMP SPECT brain imaging in rapid cycling bipolar disorder and, 152

Global amnesia
transient, alterations of peak distribution of auditory ERPs during, 237
Glucocorticoids
intra-abdominal fat deposition in major depression and, 1140
serotonin transporter and, 172
sialyl transferase levels and HPA axis function, 1131
Glucose
PET study of Turner's syndrome and, 285
Glutamate
GluR5 receptor gene, schizophrenia and, 243
and psychotogenicity and NMDA antagonism, 135
Glycosylation
sialyl transferase levels and HPA axis function, 1131
Gold Medal Award 1997, 124, 254
G proteins
$G\alpha_{q/11}$ immunoreactivity in bipolar affective disorder and, 649
Gratification
impulsivity in parolees and, 523
Gray matter
basal ganglia choline levels in depression and fluoxetine treatment, 837
Grief
complicated, sleep in wake of, 710
Growth hormone (GH)
chronic fatigue syndrome and, 567
dopamine agonists after fluphenazine and, 657
Guanine nucleotide binding proteins
opioid dependence and, 130
Gyrification index
schizophrenia and, 995

Habituation rate
audiogenic startle reflex in Tourette's syndrome and, 796
Half-life
dexamethasone pharmacokinetics and, 574
Hallucinations
plasma homovanillic acid levels in schizophrenia and, 560
Haloperidol
relative cerebral blood perfusion in schizophrenia and, 550
for schizophrenia, 857
Hamilton Depression Rating Scale
basal ganglia choline levels in depression and fluoxetine treatment, 837
SSRI effects on platelet serotonin in major depressive disorder and, 184
Han aborigines
DRD4 gene in alcoholism and, 394
Handedness
schizotypal personality disorder and, 530
Handwriting movements
in schizophrenia, kinematic analysis and, 830
Haplotype
DRD4 gene in alcoholism and, 394
Harmonics
and EEG photic driving in schizophrenia and depression, 496
Heart rate variability
epinephrine in panic disorder and, 249
high-frequency, cardiac vagal tone in schizophrenia and, 612
physiologic responses to loud tones in Israeli veterans of Yom Kippur War and, 319
Hemispheric activation
and conjugate lateral eye movements in paranoid schizophrenia and major depression, 1065
Hepatotoxicity
metabolism of psychoactive drugs and, 814
Herpes simplex virus type 1 (HSV-1)
CSF viral antibodies for, OCD and, 883
Heterozygosity
and apolipoprotein E in familial dementia with psychosis, 191
High molecular-weight form
somatostatin-like immunoreactivity in SDAT CSF and, 1124
High-pressure liquid chromatography (HPLC)
molecular forms of somatostatin-like immunoreactivity in SDAT CSF and, 1124
"High" responses
m-CPP challenge test in cocaine addicts and, 1071
Hippocampus
AMDA receptors in schizophrenia and, 636
auditory P300 topography and neuropsychological test performance, 327
and learned helplessness and 5-HT_{1B} mRNA, 668
volume, in PTSD related to childhood abuse, 23
Holter electrocardiogram
cardiac vagal tone in schizophrenia and, 612
Homocysteine
one-carbon metabolism in neuropsychiatric disorders and, 230
Homovanillic acid (HVA)
and CSF amines and suicidality, 162
DBH gene in schizophrenia and, 762
first-episode neuroleptic-free schizophrenics and haloperidol treatment, 857
newly admitted psychotic patients and, 865
plasma, with amantadine hydrochloride in schizophrenia, 1062
plasma, diurnal variation and, 621
Hormones
novelty seeking in PTSD and, 145
Hospital Anxiety and Depression Scale
thyroid antibodies in antenatal depression and, 1143
Housing
and social stress and depression in female cynomolgus monkeys, 871
Human immunodeficiency virus (HIV)
frontal lobe cytosolic choline levels in AIDS dementia complex, 500
-negative neurosyphilis, psychiatric manifestations and MRI in, 467

Human leukocyte antigen (HLA) class II
monocytes in major depression and, 675
Huntington's disease
kinematic analysis of handwriting movements in schizophrenia and, 830
and psychotogenicity and NMDA antagonism, 135
Hydrocephalus
adult chronic, 804
normal pressure, cholecystokinin levels in adult chronic hydrocephalus syndrome and, 804
normal pressure, indirect bright light improves circadian rest-activity rhythm disturbances in, 955
5-Hydroxyindoleacetic acid (5-HIAA)
and CSF amines and suicidality, 162
diurnal variation in plasma homovanillic acid and, 621
first-episode neuroleptic-free schizophrenics and haloperidol treatment, 857
5-Hydroxytryptamine (5-HT)
seasonal influence on platelet, and recurrent major depression and schizophrenia, 1028
5-Hydroxytryptamine$_{1B}$ (5-HT$_{1B}$)
mRNA, learned helplessness and, 668
Hyperactivity
REM sleep differential response to cholinergic blockade by scopolamine and, 929
Hypercapnic cerebral vasodilation
anxiety and, 782
Hypercarbia
and cerebral blood flow associated with anxiety, 782
Hypercortisolemia
intra-abdominal fat deposition in major depression and, 1140
and social stress and depression in female cynomolgus monkeys, 871
Hypermetabolism
PET study of Turner's syndrome and, 285
Hypersensitivity
to carbon dioxide, as trait marker for panic disorder, 259
cholinergic, mydriatic response to tropicamide and, 909
Hyperventilation
epinephrine in panic disorder and, 249
Hypoglycemia
chronic fatigue syndrome and, 567
Hypomania
IMP SPECT brain imaging in rapid cycling bipolar disorder and, 152
Hypophyseal responsiveness
dopamine agonists after fluphenazine and, 657
Hypothalamic-pituitary-adrenal (HPA) axis
chronic fatigue syndrome and, 567
plasma sialyl transferase levels and, 1131
pulsatile ACTH and, 342
and serotonin transporter and glucocorticoids, 172
and social stress and depression in female cynomolgus monkeys, 871
Hypothalamus
chronic fatigue syndrome and, 567
HZI database
EEG beta in cocaine dependence and, 1087

I-123 iofetamine single-photon computed emission tomography (IMP-SPECT)
rapid cycling bipolar disorder and, 152
Idebenone
mitochondrial transfer RNA$^{Leu(UUR)}$ mutation in, 1137
IGF-binding protein-1
chronic fatigue syndrome and, 567
IgG viral antibodies
OCD in Indian population and, 883
Imipramine
and serotonin transporter and glucocorticoids, 172
Immunoautoradiography
quantitative, hippocampal receptors in schizophrenia and, 636
Immunolabeling
$G\alpha_{q/11}$ immunoreactivity in bipolar affective disorder and, 649
Immunological markers
and neuropsychiatric status in HIV-1 infection without AIDS, 474
Implicit times
lithium effects on retinal electrophysiologic function and, 737
Impulsivity
aggression and, 273, 1045
laboratory and psychometric measurements of, 523
Index of activation
and conjugate lateral eye movements in paranoid schizophrenia and major depression, 1065
India
CSF viral antibodies in OCD and, 883
Indirect agonist
dopamine agonists after fluphenazine and, 657
Indirect assault
Buss-Durkee aggression scales and, 273
Indirect bright light
circadian rest-activity disturbances in dementia and, 955
Inescapable stress
and learned helplessness and 5-HT$_{1B}$ mRNA, 668
Infancy complications
and ADHD, gene-environment interaction in, 65
Infrequent stimuli
ADHD and, 595, 690
Inhalation
carbon dioxide, panic disorder and, 259
and cerebral blood flow associated with anxiety, 782
and NO effect on cerebral blood velocity while reclining and standing, 979
Inhibition
enzymatic, metabolism of psychoactive drugs and, 814
sensorimotor changes across menstrual cycle and, 452
Insomnia
subjective and psychophysiologic, 209
Insula
PET study of Turner's syndrome and, 285

Insulin
chronic fatigue syndrome and, 567
Insulinlike growth factors (IGFs)
chronic fatigue syndrome and, 567
Interbeat intervals
cardiac vagal tone in schizophrenia and, 612
Interferon-γ (IFN-γ)
monocytes in major depression and, 675
Intergroup marriages
and alcohol dehydrogenase and aldehyde dehydrogenase genotypes and alcoholism among Taiwanese aborigines, 703
Interpersonal psychotherapy
EEG sleep profile in major depressive disorder and, 964
Intracranial pressure
cholecystokinin levels in adult chronic hydrocephalus syndrome and, 804
Intrathecal administration
of thyrotropin-releasing hormone, antidepressant effects and, 264
Intravenous abuse
buprenorphine/naloxone interactions in methadone maintenance and, 1095
Intravenous injection
of levodopa vs. dantrolene for neuroleptic malignant syndrome, 913-corr
of thyrotropin-releasing hormone, antidepressant effects and, 264
Intron regions
5-HT_{2A} receptor gene polymorphism and, 768
Irrelevant input channels
and methylphenidate and selective attention in ADHD, 690
Irritability
heritability and, 273
Ischemia
cerebral, HIV-negative neurosyphilis and, 467
Isozymes
sialyl transferase levels and HPA axis function, 1131
Israeli combat veterans
physiologic responses to loud tones in, 319

Kidneys
diurnal variation in plasma homovanillic acid and, 621
Kindling
amygdala, emotional behavior changes and, 438
Kinematic analysis
of handwriting movements in schizophrenia, 830
Kinetics
and psychotogenicity and NMDA antagonism, 135
Kruskal-Wallis analysis
and DBH gene in schizophrenia, 762

Lack-of-control conditions
comorbidity of tic disorder and ADHD in children and, 585
Latency
audiogenic startle reflex in Tourette's syndrome and, 796
auditory event-related potentials in mental retardation and, 201
cocaine effect on sensory inhibition and, 461
ethological animal models and, 226
REM, cholinergic blockade by scopolamine and, 929
REM, chronic mild stress disrupts REM sleep, 419
REM, depression subtypes and, 915
REM, EEG sleep in depression and, 406
REM, EEG sleep in major depressive disorder and, 964
sleep, and subjective and psychophysiologic insomnia, 209
Late-onset depression
Alzheimer's disease and, 246
apolipoprotein E-ϵ4 allele frequency in, 912-corr, 912-corr (response)
Laterality
auditory P300 topography and neuropsychological test performance, 327
cardiac vagal tone in schizophrenia and, 612
and conjugate lateral eye movements in paranoid schizophrenia and major depression, 1065
kinematic analysis of handwriting movements in schizophrenia and, 830
in major depression with or without anxiety disorder, 939
Learned helplessness
5-HT_{1B} mRNA and, 668
Learning
schizotypal personality disorder and, 530
Least square method
in school refusal children and adolescents, 810
Left cerebral hemisphere
cardiac vagal tone in schizophrenia and, 612
and conjugate lateral eye movements in paranoid schizophrenia and major depression, 1065
in major depression with or without anxiety disorder, 939
schizophrenia and, 327
Left ear advantage
cardiac vagal tone in schizophrenia and, 612
Left temporal lobe
schizotypal personality disorder and, 530
Levodopa
vs. dantrolene, intravenous injection of for neuroleptic malignant syndrome, 913-corr
Life style regularity
induction of, in recovering bipolar disorder patients, 1165
Light sensitivity
lithium effect on retina and, 737, 743
Linear modeling
dynamical analysis of schizophrenia courses and, 428
Linkage analysis
glutamate GluR5 receptor gene in schizophrenia and, 243
Lithium
IMP SPECT brain imaging in rapid cycling bipolar disorder and, 152
retinal electrophysiologic function and, 737
retinal sensitivity and, 743
for schizoaffective disorder, 844
for unipolar depression and, 844
weight gain induced by, naltrexone and, 747
Locomotion

dopamine agonists after fluphenazine and, 657
Long-term treatment
lithium and, 844
Loss-of-control conditions
comorbidity of tic disorder and ADHD in children and, 585
Loud tones
physiologic responses to, in Israeli veterans of Yom Kippur War, 319
[^{3}H]LSD
SSRI effects on platelet serotonin in major depressive disorder and, 184
Lung function
dynamic, panic disorder and, 834
Lymphocytes
sialyl transferase levels and HPA axis function, 1131
spiperone binding and, in affective psychosis, 107

Magnetic resonance imaging (MRI)
basal ganglia choline levels in depression and fluoxetine treatment, 837
cavum septum pellucidi in normals and schizophrenia, 1102
and hippocampal volume in PTSD related to childhood abuse, 23
HIV-negative neurosyphilis and, 467
Magnetic resonance spectroscopy (MRS)
basal ganglia choline levels in depression and fluoxetine treatment, 837
in dorsolateral prefrontal cortex of schizophrenics with volume selective technique, 644
and frontal lobe cytosolic choline levels in AIDS dementia complex, 500
Maintenance therapies
bipolar disorder protocol and, 1165
Major depressive disorder
basal ganglia choline levels in, fluoxetine treatment and, 837
CSF amines and suicidality in, 162
DHEA for, 311
EEG sleep in, 406, 964
5-hydroxytryptamine in, 915, 1028
intra-abdominal fat deposition in, 1140
medical comorbidity in elderly psychiatric inpatients and, 724
monocyte function in, 675
regional brain asymmetries in with or without anxiety disorder, 939
reversed neurovegetative symptoms of, 366
seasonal influence on platelet levels of 5-hydroxytryptamine in, 1028
SSRIs for, 184
Major tranquilizers
metabolism of psychoactive drugs and, 814
Mania
IMP SPECT brain imaging in rapid cycling bipolar disorder and, 152
Manic depressive disorder
lithium effects on retinal sensitivity in, 743
rapid cycling, bone mineral density and L-thyroxine treatment in, 503
serotonin transporter gene in, 750
Mann-Whitney U test
and DBH gene in schizophrenia, 762
Maprotiline
plasma MHPG predicts fluoxetine response, 774
Masseter muscle
audiogenic startle reflex in Tourette's syndrome and, 796
Maternal inheritance
mitochondrial transfer RNA$^{Leu(UUR)}$ mutation in depression and, 1137
Measles
CSF viral antibodies for, OCD and, 883
Medial temporal gyrus
volume, and cerebral assymetry in schizophrenia vs. bipolar disorder, 1
Medial temporal lobe
schizophrenia and, 636
Medical comorbidity
elderly psychiatric inpatients and, 724
Melatonin
GABA and, 336
Memantine
and psychotogenicity and NMDA antagonism, 135
Memory
auditory verbal supraspan, in schizophrenia, 33
DHEA for depression and, 311
schizotypal personality disorder and, 530
in school refusal children and adolescents, 810
visuospatial working, in schizophrenia, 43
Menstrual cycle
sensorimotor changes across, 452
Mental fatigue
chronic fatigue syndrome and, 567
Mental retardation
auditory event-related potentials and, 201
serotonin and, 753
Messenger RNA (mRNA)
in depressed suicide victims, serotonin transporter binding sites and, 1156
hippocampal receptors in schizophrenia and, 636
Metabolism
cerebral, PET study of Turner's syndrome and, 285
one-carbon, neuropsychoatric disorders and, 230
psychoactive drug, 814
sertraline for affective disorder and, 15
Methadone
guanine nucleotide binding proteins in opioid dependence and, 130
maintenance, buprenorphine/naloxone and, 1095
Methionine-adenosyl transferase
one-carbon metabolism in neuropsychiatric disorders and, 230
3-Methoxy 4-hydroxyphenylglycol (MHPG)
and CSF amines and suicidality, 162
first-episode neuroleptic-free schizophrenics and haloperidol treatment, 857

newly admitted psychotic patients and, 865
plasma-free, predicts fluoxetine response, 774
Methylphenidate
selective attention in ADHD and, 690
Metyrapone
in depression, morning response of pituitary to, 1149
Microsatellite repeat
polymorphic, DBH gene and, 762
Middle age
DHEA for depression and, 311
gastrointestinal absorption of aluminum in Down's syndrome and, 488
Middle latency auditory-evoked potentials
P50 amplitude and, 902
Mid-latency
cocaine effect on sensory inhibition and, 461
Midline
brain, in major depression with or without anxiety disorder, 939
Midluteal phase
sensorimotor changes across menstrual cycle and, 452
Mini Mental State Examination
HIV-negative neurosyphilis and, 467
Minor tranquilizers
metabolism of psychoactive drugs and, 814
Mitochondrial cytopathy
transfer $RNA^{Leu(UUR)}$ mutation in, 1137
MK-801
and psychotogenicity and NMDA antagonism, 135
MMN
impaired attention-dependent augmentation of in schizophrenia, OCD and, 1196
Moclobemide
monocytes in major depression and, 675
Molecular genetics
DRD4 gene in alcoholism and, 394
Money
aggression in parolees and, 514, 523
impulsivity in parolees and, 523
Monkeys
with previous long-term exposure to fluphenazine, dopamine agonist effects on, 657
Monoamine
depletion, lack of behavior effects in healthy subjects and, 58
Monocytes
major depression and, 675
Monozygotic twins
Buss-Durkee aggression scales and, 273
Mood
and NO effect on cerebral blood velocity while reclining and standing, 979
fluoxetine effects on mood response to tryptophan depletion and, 949
Mood disorders
anatomy of, structural neuroimaging studies and, 86
cholesterol in suicide attempters and, 196
$5\text{-}HT_{2A}$ receptor gene polymorphism and, 768
IMP SPECT brain imaging in rapid cycling bipolar disorder and, 152
medical comorbidity in elderly psychiatric inpatients and, 724
tryptophan depletion and, 117
Mood stabilizing agents
metabolism of psychoactive drugs and, 814
Morning
bright light treatment, phase delay in hypersomnic winter depression and, 1109
pituitary response to metyrapone in depression and, 1149
Motor aggression
Buss-Durkee aggression scales and, 273
Motor neuron disease
and psychotogenicity and NMDA antagonism, 135
Motor response pattern
audiogenic startle reflex in Tourette's syndrome and, 796
Motor skills
schizotypal personality disorder and, 530
MspI genetic polymorphisms
in schizophrenia, 985
Multicausal models
dynamical analysis of schizophrenia courses and, 428
Multiinfarct multi-infarct dementia
indirect bright light improves circadian rest-activity rhythm disturbances in, 955
Multiple regression analysis
and sleep and complicated grief symptoms, 710
Multiple sleep latency test
and subjective and psychophysiologic insomnia, 209
Multiple-system probes
ethological animal models and, 226
Mumps
CSF viral antibodies for, OCD and, 883
Muscles
audiogenic startle reflex in Tourette's syndrome and, 796
Mydriatic response
to tropicamide, cholinergic hypersensitivity and, 909
Myoclonus
P50 amplitude and, 902

N1 amplitude
auditory event-related potentials in mental retardation and, 201
and methylphenidate and selective attention in ADHD, 690
N2 amplitude
and methylphenidate and selective attention in ADHD, 690
N40 amplitude
cocaine effect on sensory inhibition and, 461
Naloxone
buprenorphine interactions and, in methadone maintenance patients, 1095
Naltrexone
tricyclic antidepressant-induced weight gain and, 747
Narcolepsy
dopamine D2 receptors amd, 305
Negative feedback

insensitivity to, and social stress and depression in female cynomolgus monkeys, 871
Negative symptoms
plasma homovanillic acid with amantadine hydrochloride in schizophrenia and, 1062
Neopterin
monocytes in major depression and, 675
Neurodegenerative disorders
chronic, and psychotogenicity and NMDA antagonism, 135
Neurodevelopmental anomaly
cavum septum pellucidi in normals and schizophrenia, 1102
Neuroendocrine responses
m-CPP-evoked, serum cholesterol levels and, 974
Neurofibrillary tangles
and apolipoprotein E in familial dementia with psychosis, 191
Neuroleptic malignant syndrome
gangliosidosis type II with, 1222
Neuroleptics
and dopamine D_2 receptor gene and tardive dyskinesia in schizophrenia, 827
and cigarette smoking and abnormal voluntary movements in general male population, 717
ethological animal models and, 226
first-episode neuroleptic-free schizophrenics and haloperidol treatment, 857
molecular forms of somatostatin-like immunoreactivity in SDAT CSF and, 1124
newly admitted psychotic patients and, 865
Pisa syndrome and, 234
plasma homovanillic acid levels in schizophrenia and, 560
sigma receptor binding and, 1010
Neuromelanin
one-carbon metabolism in neuropsychiatric disorders and, 230
Neuronal generators
left-hemispheric, auditory P300 topography and neuropsychological test performance and, 327
Neurons
and psychotogenicity and NMDA antagonism, 135
Neuropeptides
brain, cholecystokinin levels in adult chronic hydrocephalus syndrome and, 804
Neurophysiological signs
cocaine dependence and, 1087
Neuroprotective pharmacotherapy
and psychotogenicity and NMDA antagonism, 135
Neuropsychiatric disorders
HIV-1 infection and, 474
sensorimotor changes across menstrual cycle and, 452
Neuropsychological dysfunction
schizotypal personality disorder and, 530
Neuropsychological substrates
impulsive aggression and, 1045
Neuroscience
direction of, 127-ed
Neurosis
cholesterol in suicide attempters and, 196
and subjective and psychophysiologic insomnia, 209
Neurosyphilis
HIV-negative, psychiatric manifestations and MRI in, 467
Neurotransmitters
ethological animal models and, 226
hyperserotoninemia and serotonin receptor antibodies in autism but not mental retardation, 753
and psychotogenicity and NMDA antagonism, 135
Neurotropism
and neuropsychiatric status in HIV-1 infection without AIDS, 474
Neurovegetative symptoms
of depression, reversed, 366
News and Notes, 122, 381, 630
Niacin challenge test
altered transmembrane signal transduction in schizophrenia and, 507
Nitrous oxide (NO)
and cerebral velocity while reclining and standing, 979
NlaIII genetic polymorphisms
schizophrenia and, 985
N-methyl-D-aspartate (NMDA)
medial temporal lobe in schizophrenia and, 636
receptor antagonists, low-affinity, 135
Noise
audiogenic startle reflex in Tourette's syndrome and, 796
dynamical analysis of schizophrenia courses and, 428
"Nondiscriminating" mental retardation
auditory event-related potentials and, 201
Nonendogenous major depression
DST nonsuppression in, 915
Nonlinear dynamical disease
schizophrenia as, 428
Non-NMDA glutamate receptors
medial temporal lobe in schizophrenia and, 636
Nonspatial conditional associative learining test
auditory P300 topography and neuropsychological test performance, 327
Nontarget stimuli
ADHD and, 595
Non-24-hour sleep-wake syndrome
in school refusal children and adolescents, 810
Noradrenaline
DBH gene in schizophrenia and, 762
Pisa syndrome and, 234
Noradrenergic measures
suicide brain and, 1000
Norepinephrine
and first-episode neuroleptic-free schizophrenics and haloperidol treatment, 857
novelty seeking in PTSD and, 145
reuptake inhibitor, fluoxetine effects on mood response to tryptophan depletion and, 949
Normative database
EEG beta in cocaine dependence and, 1087
Novelty seeking

thyroid hormone and, 145

Objective insomnia
personality and, 209
Objective nystagmographic method
and conjugate lateral eye movements in paranoid schizophrenia and major depression, 1065
Obsessive-compulsive disorder (OCD)
attention-dependent augmentation of MMN in schizophrenia and, 1196
CSF viral antibodies in Indian population and, 883
ethological animal models and, 226
fluoxetine effects on mood response to tryptophan depletion and, 949
tryptophan depletion and, 117
Occipital cortex
postmortem, bipolar affective disorder and, 649
Occipital lobe
and methylphenidate and selective attention in ADHD, 690
Octapeptide
CCK, cholecystokinin levels in adult chronic hydrocephalus syndrome and, 804
Oddball tasks
auditory event-related potentials in mental retardation and, 201
peak distribution of auditory ERPs during transient global amnesia and, 237
One-carbon metabolism
neuropsychoatric disorders and, 230
Open field
and emotionality and amygdala kindling, 438
Opiate antagonist
buprenorphine/naloxone interactions in methadone maintenance and, 1095
Opiates
exogenous, weight gain and, 747
Opioids
dependence on, binding proteins in, 130
ethological animal models and, 226
Orbicularis oculi muscle
audiogenic startle reflex in Tourette's syndrome and, 796
EMG, physiologic responses to loud tones in Israeli veterans of Yom Kippur War and, 319
Organic mental disorders
HIV-negative neurosyphilis and, 467
and neuropsychiatric status in HIV-1 infection without AIDS, 474
Orienting response
peak distribution of auditory ERPs during transient global amnesia and, 237
Osteoporosis
rapidly cycling bipolar disorder and, 503
Ovarian function
and social stress and depression in female cynomolgus monkeys, 871
Oxygen
and NO effect on cerebral blood velocity while reclining and standing, 979

^{31}P magnetic resonance spectroscopy
in dorsolateral prefrontal cortex of schizophrenics with volume selective technique, 644
P2 amplitude
auditory event-related potentials in mental retardation and, 201
P3 amplitude
auditory event-related potentials in mental retardation and, 201
P3b amplitude
ADHD and, 595, 690
P50 amplitude
cocaine effect on sensory inhibition and, 461
suppression in schizophrenia and normals, 1035
suppression, sitting vs. supine position and, 902
suppression, variations in wakeful alertness and, 891
P300 amplitude
auditory event-related potentials in mental retardation and, 201
auditory P300 topography and neuropsychological test performance, 327
left lateralized deficit in schizophrenics, pitch disparity and, 541
Paired click paradigm
cocaine effect on sensory inhibition and, 461
Palms
dermatoglyphic abnormalities in twins and, 624
Pancreatic polypeptide
response to fat-rich meal, in anorexia nervosa, 1068
Panic disorder
alprazolam for, 76
corticotropin-releasing hormone effects on ACTH and cortisol in, 76
dynamic lung function and, 834
epinephrine and, 249
trait marker for, 259
Parahippocampal gyrus
hippocampal receptors in schizophrenia and, 636
Paranoid schizophrenia
attention-dependent augmentation of MMN in, OCD and, 1196
Parenteral abuse potential
buprenorphine/naloxone interactions in methadone maintenance and, 1095
Parietal lobe
and methylphenidate and selective attention in ADHD, 690
Parietotemporal activity
regional brain asymmetries in with or without anxiety disorder, 939
Parkinsonian symptoms
and cigarette smoking and abnormal voluntary movements in general male population, 717
Parkinson's disease
kinematic analysis of handwriting movements in schizophrenia and, 830
and psychotogenicity and NMDA antagonism, 135
Parolees

violent and nonviolent male, laboratory measurement of aggression and, 514, 523
violent and nonviolent male, laboratory measurement of impulsivity and, 523
Paroxetine
and serotonin transporter and glucocorticoids, 172
SSRI effects on platelet serotonin in major depressive disorder and, 184
Parsimonious theory
of schizophrenia, 428
Passive oddball tasks
auditory event-related potentials in mental retardation and, 201
Peak-picking
P50 suppression relationship to variations in wakeful alertness and, 891
Periodicity
pulsatile ACTH and, 342
Personality
and subjective and psychophysiologic insomnia, 209
Pertussis toxin
guanine nucleotide binding proteins in opioid dependence and, 130
pH
hippocampal receptors in schizophrenia and, 636
Pharmacokinetics
dexamethasone and, 574
Phase delay
hypersomnic winter depression and, 1109
Phencyclidine (PCP)
and psychotogenicity and NMDA antagonism, 135
Phenotype
monocyte, major depression and, 675
Phosphodiesters
^{31}P magnetic resonance spectroscopy in dorsolateral prefrontal cortex of schizophrenics and, 644
Phosphoinositide
$G\alpha_{q/11}$ immunoreactivity in bipolar affective disorder and, 649
Phospholipase C (PLC)
$G\alpha_{q/11}$ immunoreactivity in bipolar affective disorder and, 649
Phospholipids
niacin challenge test in schizophrenia and, 507
Phosphomonoesters
^{31}P magnetic resonance spectroscopy in dorsolateral prefrontal cortex of schizophrenics and, 644
Photic driving
EEG, in schizophrenia and depression, 496
Photic stimulation
EEG analysis in presenile Alzheimer's disease and, 217
Phototherapy
indirect bright light improves circadian rest-activity rhythm disturbances in, 955
lithium effects on retinal sensitivity and, 743
phase delay in hypersomnic winter depression and, 1109
Physical abuse
childhood, hippocampal volume in PTSD related to, 23
Physical activity
reduced, chronic fatigue syndrome and, 567
Physiologic responses
to loud tones in Israeli veterans of Yom Kippur War, 319
and social stress and depression in female cynomolgus monkeys, 871
Pineal gland
GABA and, 336
Pisa syndrome
antidepressants and, 234
Pitch disparity
P300 left lateralized deficit in schizophrenics and, 541
Pituitary
morning metyrapone in depression and, 1149
Placebo
dopamine agonists after fluphenazine and, 657
selective attention in ADHD and, 690
serum cholesterol effect on m-CPP-evoked neuroendocrine responses and, 974
Plasma
cortisol, bulimia nervosa and, 366
dexamethasone pharmacokinetics and, 574
DHEA for depression and, 311
first-episode neuroleptic-free schizophrenics and haloperidol treatment, 857
homovanillic acid, with amantadine hydrochloride in schizophrenia, 1062
homovanillic acid, diurnal variation and, 621
homovanillic acid, sex differences in, 560
interferon-γ, monocytes in major depression and, 675
melatonin, GABA and, 336
neopterin, monocytes in major depression and, 675
newly admitted psychotic patients and, 865
sialyltransferase, HPA axis function and, 1131
tryptophan depletion, fluoxetine and, 949
Platelets
guanine nucleotide binding proteins in opioid dependence and, 130
serotonin, plasma MHPG predicts fluoxetine response and, 774
serotonin, and recurrent major depression and schizophrenia, 1028
and serotonin transporter and glucocorticoids, 172
SSRIs in major depressive disorder and, 184
Pleurothotonus
antidepressants and, 234
PNN50
cardiac vagal tone in schizophrenia and, 612
Point Subtraction Aggression Paradigm
aggression in parolees and, 514, 523
Polyclonal antisera
hippocampal receptors in schizophrenia and, 636
Polydipsia
diurnal urine volume estimates in schizophrenia and, 374
Polymerase chain reaction (PCR)
DBH gene in schizophrenia and, 762

differentially expressed RNA transcripts and, 759-ed
DRD4 gene in alcoholism and, 394
5-HT_{2A} receptor gene polymorphism and, 768
Polymorphic (GT)n repeat
DBH gene, schizophrenia and, 762
Polymorphisms
and dopamine D_2 receptor gene and tardive dyskinesia in schizophrenia, 827
catechol-O-methyltransferase gene, schizophrenia and, 493
DAT1 gene, alcoholism and, 299
DRD4 gene, alcoholism and, 394
genetic, in schizophrneia, 985
5-HT_{2A} receptor gene, mood disorders and, 768
Polyuria
schizophrenia and, 374
Pooled averages
enough of, 633-ed
Population studies
alcoholism among Taiwanese aborigines and, 703
and cigarette smoking and abnormal voluntary movements in general male population, 717
DRD4 gene in alcoholism and, 394
Positron emission tomography (PET)
and auditory verbal supraspan memory vs. visual fixation in schizophrenia, 33
dopamine D2 receptors and, 305
Turner's syndrome and, 285
Postimperative negative variation
comorbidity of tic disorder and ADHD in children and, 585
Postmortem
interval, hippocampal receptors in schizophrenia and, 636
occipital cortex, bipolar affective disorder and, 649
Posttraumatic stress disorder (PTSD)
childhood abuse-related, hippocampal volume and, 23
complicated grief symptoms and, 710
flumazenil for, 988
and learned helplessness and 5-HT_{1B} mRNA, 668
physiologic responses to loud tones in Israeli veterans of Yom Kippur War and, 319
power spectral analysis of heart rate variability and, 627
Postural disturbance
Pisa syndrome and, 234
Postural dizziness
and NO effect on cerebral blood velocity while reclining and standing, 979
Power spectral analysis
heart rate variability in PTSD and, 627
Prefrontal brain dysfunction
schizotypal personality disorder and, 530
Prefrontal cortex
dorsolateral, schizophrenia and, 644
Pregnancy
and ADHD, gene-environment interaction in, 65
Prepulse inhibition
sensorimotor changes across menstrual cycle and, 452
Presenile Alzheimer's disease
EEG analysis in, 217
Present State Examination
and neuropsychiatric status in HIV-1 infection without AIDS, 474
Presynaptic hybridization signal
and learned helplessness and 5-HT_{1B} mRNA, 668
Primers
and DBH gene in schizophrenia, 762
Processing negativity
ADHD and, 595
Prodromal sign
in schizophrenia, electrodermal activity as, 111
Progesterone
sensorimotor changes across menstrual cycle and, 452
Prolactin
dopamine agonists after fluphenazine and, 657
m-CPP challenge test in cocaine addicts and, 1071
newly admitted psychotic patients and, 865
plasma homovanillic acid levels in schizophrenia and, 560
and serotonergic function and aggression in boys with ADHD, 682
serum cholesterol effect on m-CPP-evoked neuroendocrine responses and, 974
Promemory effects
DHEA for depression and, 311
Prostaglandins
niacin challenge test in schizophrenia and, 507
Protein
serum total, low cholesterol in suicide attempters and, 196
Proton magnetic resonance spectroscopy
and frontal lobe cytosolic choline levels in AIDS dementia complex, 500
Protopathic bias
trap of, 257-ed
Psychoactive drugs
metabolism of, 814
Psychometric measurements
aggression and, 514, 523
impulsivity and, 523
Psychopathology
plasma homovanillic acid levels in schizophrenia and, 560
Psychophysiological study
of development of delirium in coronary care units, 1211
Psychosis
affective, lymphocyte spiperone binding in, 107
apolipoprotein E genotype in, 906
and apolipoprotein E in familial dementia, 191
biological markers in, 865
and conjugate lateral eye movements in paranoid schizophrenia and major depression, 1065
dermatoglyphic abnormalities in twins and, 624
long-term, dynamical analysis of schizophrenia courses and, 428
medical comorbidity in elderly psychiatric inpatients and, 724
NMDA antagonism and, 135
recent life stressors in, 865
Psychotomimetic side effects

NMDA antagonism and, 135
Psychosocial variables
newly admitted psychotic patients and, 865
Psychosomatic symptoms
in school refusal children and adolescents, 810
Psychotherapy
EEG sleep in depression and, 406
interpersonal, EEG sleep profile in major depressive disorder and, 964
Puerperium
thyroid antibodies in antenatal depression and, 1143
Pulsatility
ACTH and, 342
Pulse rate
and NO effect on cerebral blood velocity while reclining and standing, 979
Pupil dilation test
and mydriatic response to tropicamide as sign of cholinergic hypersensitivity, 909

Quadriceps muscle
audiogenic startle reflex in Tourette's syndrome and, 796
Quality of life
fluoxetine effects on mood response to tryptophan depletion and, 949
Quality of Life Scale
plasma homovanillic acid levels in schizophrenia and, 560
Quantitative electroencephalogram (QEEG)
and neuropsychiatric status in HIV-1 infection without AIDS, 474
presenile, 217

Radioimmunoassay (RIA)
molecular forms of somatostatin-like immunoreactivity in SDAT CSF and, 1124
Rapid cycling bipolar disorder
bone mineral density and L-thyroxine treatment in, 503
IMP SPECT brain imaging in, 152
Rapid eye movement (REM)
latency, depression subtypes and, 915
latency, EEG sleep profile in major depressive disorder and, 964
sleep, cholinergic blockade by scopolamine and, 929
sleep, chronic mild stress alters architecture in, 419
sleep, complicated grief symptoms and, 710
sleep, EEG in depression and, 406
Rats
chronic mild stress disrupts REM sleep in, 419
cocaine effect on sensory inhibition in, 461
down-regulation of serotonin transporter density in frontal cortex, long-term food restriction and, 1174
long-term amygdala kindling and, 438
and serotonin transporter and glucocorticoids, 172
Raynaud's phenomenon
fluoxetine-induced, 1218
Recent life stressors
newly admitted psychotic patients and, 865
Receptors
dopamine D_2, narcolepsy and, 305
dopamine D_2 receptor A1 allele, alcoholism and, 386
dopamine D4 receptor gene, alcoholism and, 394
hippocampal AMPA, schizophrenia and, 636
5-HT_{2A}, 768
hyperserotoninemia and serotonin receptor antibodies in autism but not mental retardation, 753
IMP SPECT brain imaging in rapid cycling bipolar disorder and, 152
intra-abdominal fat deposition in major depression and, 1140
and learned helplessness and 5-HT_{1B} mRNA, 668
neuroleptic binding to sigma receptors and, 1010
and psychotogenicity and NMDA antagonism, 135
serotonergic, 618, 974
serum cholesterol effect on m-CPP-evoked neuroendocrine responses and, 974
sialyl transferase levels and HPA axis function, 1131
SSRI effects on platelet serotonin in major depressive disorder and, 184
Reclining
nitrous oxide effect on cerebral blood velocity and, 979
Rectal temperature
circadian, phase delay in hypersomnic winter depression and, 1109
Recurrence
EEG sleep in depression and, 406
Red blood cell count
low cholesterol in suicide attempters and, 196
Regional brain assymetries
in major depression with or without anxiety disorder, 939
Regional metabolic rate
sertraline for affective disorder and, 15
Rehabilitation unit
DRD2 gene in alcoholism and, 386
Relapse
depression and, 915, 949
Relevant input channels
and methylphenidate and selective attention in ADHD, 690
Remission
depression and, 929
EEG sleep in depression and, 406
Renal phenomena
diurnal variation in plasma homovanillic acid and, 621
Repetitive behavioral spectrum disorders
human, ethological animal models and, 226
Replication analyses
EEG sleep profile in major depressive disorder and, 964
Research diagnostic criteria (RDC)
thyroid antibodies in antenatal depression and, 1143
Resistance
neuroleptic, plasma homovanillic acid levels in schizophrenia and, 560
Respiration
panic disorder and, 834
Respiratory reactions

epinephrine in panic disorder and, 249
Rest-activity disturbances
in dementia, indirect bright light for, 955
Restriction fragment length polymorphisms (RFLPs)
DRD4 gene in alcoholism and, 394
schizophrenia and, 985
Retina
electrophysiologic function of, lithium and, 737
Ribosylation
[^{32}P] guanine nucleotide binding proteins in opioid dependence and, 130
Right cerebral hemisphere
cardiac vagal tone in schizophrenia and, 612
and conjugate lateral eye movements in paranoid schizophrenia and major depression, 1065
in major depression with or without anxiety disorder, 939
Right ear advantage
cardiac vagal tone in schizophrenia and, 612
RNA transcripts
differentially expressed, identification of, 759-ed

S_1-S_2 amplitude
cocaine effect on sensory inhibition and, 461
SADS-C Global Assessment Scale
plasma homovanillic acid levels in schizophrenia and, 560
Saline
cerebral blood flow associated with anxiety and, 782
cocaine effect on sensory inhibition and, 461
Scale for Assessment of Negative Symptoms
plasma homovanillic acid levels in schizophrenia and, 560
Scale for Assessment of Positive Symptoms
plasma homovanillic acid levels in schizophrenia and, 560
Scalp asymmetry
P300 left lateralized deficit in schizophrenics and, 541
Scalp leads
comorbidity of tic disorder and ADHD in children and, 585
Scanning behavior
and social stress and depression in female cynomolgus monkeys, 871
Scar
REM sleep differential response to cholinergic blockade by scopolamine and, 929
Schedule for Affective Disorders and Schizophrenia–Change version
plasma homovanillic acid levels in schizophrenia and, 560
Schizoaffective disorder
lithium for, 844
Schizophrenia
apolipoprotein E genotype in, 906
apolipoprotein E in familial dementia with, 191
attention-dependent augmentation of MMN in, OCD and, 1196
auditory verbal supraspan memory in, 33
basal ganglia in, 1148-corr
cardiac vagal tone in, 612
catecholamine pathway in, 762
catechol-O-methyltransferase gene polymorphism in, 493
cavum septum pellucidi in, 1102
cortical abnormality in, 995
dermatoglyphic abnormalities in twins and, 624
diurnal urine volume in, polydipsia and, 374
dopamine β hydroxylase gene in, 762
dopamine D_2 receptor gene and tardive dyskinesia in schizophrenia, TaqI polymorphism and, 827
dynamical analysis in, 428
EEG photic driving in, 496
EEG power abnormalities in, 1020
electrodermal activity as prodromal sign in, 111
first-episode neuroleptic-free, 857
glutamate GluR5 receptor gene linkage in, 243
gyrification index in, 995
haloperidol for, 857
hippocampal AMPA receptors in, 636
5-hydroxytryptamine in, 1028
kinematic analysis of handwriting movements in, 830
left cerebral hemisphere in, 327
monoamines and metabolites in, 857
neuropsychological dysfunction in, 530
niacin challenge test in, 507
NlaIII and MspI genetic polymorphisms in, 985
one-carbon metabolism in, 230
P50 suppression in, 1035
P300 left lateralized deficit in, 541
plasma homovanillic acid in, 560
plasma homovanillic acid with amantadine hydrochloride in, 1062
polyurea in, 374
relative cerebral blood perfusion in, 550
season of birth in, 1020
seasonal influence on platelet levels of 5-hydroxytryptamine in, 1028
sialyltransferase in, 1131
Tc-99m HMPAO-SPECT in, 550
transmembrane signal transduction in, 507
visual fixation in, 33
visuospatial working memory in, 43
Schizophrenic syndromes
cholesterol in suicide attempters and, 196
niacin challenge test in schizophrenia and, 507
Schizophreniform disorder
and apolipoprotein E in familial dementia with, 191
Schizotypal personality disorder
neuropsychological dysfunction in, 530
Scopolamine
cognitive impairment induced by, dextroamphetamine and, 50
Seasonal affective disorder (SAD)
bulimia nervosa and, 366
phase delay and, 1109
Seasonality
and platelet 5-HT levels in recurrent major depression and schizophrenia, 1028
Season of birth
schizophrenia and, 1020
Second messengers

$G\alpha_{q/11}$ immunoreactivity in bipolar affective disorder and, 649
lithium effects on retinal sensitivity and, 743
Second millenium
future of brain research at end of, 127-ed
Seizures
DAT1 gene polymorphism and, 299
and emotionality and amygdala kindling, 438
Selective attention tasks
ADHD and, 595, 690
Selective serotonin reuptake inhibitors (SSRIs)
akathisia and, 241
ethological animal models and, 226
fluoxetine effects on mood response to tryptophan depletion and, 949
platelet serotonin in major depressive disorder and, 184
Self-directed behavior
dopamine agonists after fluphenazine and, 657
Self-organization
dynamical analysis of schizophrenia courses and, 428
Self-regulation
of behavior, comorbidity of tic disorder and ADHD in children and, 585
Semantic memory performance
DHEA for depression and, 311
Senile dementia of Alzheimer's type (SDAT)
apolipoprotein E genotype in, 246
CSF in, molecular forms of somatostatin-like immunoreactivity and, 1124
EEG analysis in, 217
gastrointestinal absorption of aluminum in Down's syndrome and, 488
indirect bright light improves circadian rest-activity rhythm disturbances in, 955
late-onset depression in, 246
late-onset sporadic type, and mydriatic response to tropicamide as sign of cholinergic hypersensitivity, 909
Sensorimotor control
basal ganglia and, 1148-corr
Sensorimotor inhibition
changes in across menstrual cycle, 452
Sensory inhibition
repeated cocaine administration and, 461
Serotonergic receptor function
serum cholesterol levels and, 974
Serotonin
and aggression in boys with ADHD, 682
autism and, 753
brain activity induced by, auditory-evoked potentials and, 1181
and CSF amines and suicidality, 162
ethological animal models and, 226
and first-episode neuroleptic-free schizophrenics and haloperidol treatment, 857
fluoxetine effects on mood response to tryptophan depletion and, 949
and heritability of aggression and irritability, 273
5-HT_{2A} receptor gene polymorphism and, 768
intracellular Ca^{2+} in platelets and, 618
major depressive disorder and, 184
m-CPP challenge test in cocaine addicts and, 1071
mRNA, learned helplessness and, 668
Pisa syndrome and, 234
plasma MHPG predicts fluoxetine response and, 774
subjective and behavioral measures of aggression and, 1147-corr
suicide brain and, 1000
transporter, aging and glucocorticoid effects, 172
transporter binding sites, mRNA of depressed suicide victims and, 1156
transporter density, down-regulation of in frontal cortex during long-term food restriction, 1174
transporter gene, manic depression and, 750
Sertraline
akathisia aand, 241
regional metabolic rate in affective disorder and, 15
Serum
cholesterol, m-CPP-evoked neuroendocrine responses and, 974
cholesterol, suicidality and, 196
newly admitted psychotic patients and, 865
Sex steroids
PET study of Turner's syndrome and, 285
Sexual abuse
childhood, hippocampal volume in PTSD related to, 23
Sexual dimorphism
sensorimotor changes across menstrual cycle and, 452
Short-term treatment
lithium and, 844
Sigma receptors
neuroleptic binding to, 1010
Signal transduction
$G\alpha_{q/11}$ immunoreactivity in bipolar affective disorder and, 649
transmembrane, schizophrenia and, 507
Single photon emission computed tomography (SPECT)
antipsychotic effect on relative cerebral blood perfusion in schizophrenia and, 550
rapid cyclig bipolar disorder and, 152
Single-strand conformation polymorphism
5-HT_{2A} receptor gene, mood disorders and, 768
Singular value decomposition
and P50 suppression relationship to variations in wakeful alertness, 891
Skin conductance
physiologic responses to loud tones in Israeli veterans of Yom Kippur War and, 319
Skin temperature
niacin challenge test in schizophrenia and, 507
Sleep
architecture, chronic mild stress and, 419
deprivation, phase delay in hypersomnic winter depression and, 1109
disturbance, in school refusal children and adolescents, 810

EEG, depression and, 406
EEG, major depressive disorder and, 964
grief and, 710
indirect bright light improves circadian rest-activity rhythm disturbances in dementia and, 955
REM, cholinergic blockade by scopolamine and, 929
tendency, and subjective and psychophysiologic insomnia, 209
Sleep-awake disorder
in school refusal children and adolescents, 810
Sleep-wake cycle
chronic mild stress disrupts REM sleep, 419
Social stress
behavior and physiology of in female cynomolgus monkeys, 871
Society Awards, 124, 254
Sodium valproate
nocturnal plasma melatonin levels and, 336
Somatostatin-like immunoreactivity
molecular forms of in SDAT CSF, 1124
Spatial intelligence
schizotypal personality disorder and, 530
Spectral analysis
epinephrine in panic disorder and, 249
Spiperone
dopamine D2 receptors in narcolepsy and, 305
lymphocyte binding of, in affective psychosis, 107
Spirometry
panic disorder and, 834
Spontaneous dyskinesias
and cigarette smoking and abnormal voluntary movements in general male population, 717
Standing
nitrous oxide effect on cerebral blood velocity and, 979
Startle reflex
physiologic responses to loud tones in Israeli veterans of Yom Kippur War and, 319
sensorimotor changes across menstrual cycle and, 452
Stepwise multiple regression analysis
newly admitted psychotic patients and, 865
Stereotypy
dopamine agonists after fluphenazine and, 657
ethological animal models and, 226
Sternomastoid muscle
audiogenic startle reflex in Tourette's syndrome and, 796
Steroid-induced depression
lithium for, 1225
Stimulus parameters
P300 left lateralized deficit in schizophrenics and, 541
Stratification
and sleep and complicated grief symptoms, 710
Stress
behavior and physiology of in female cynomolgus monkeys, 871
chronic fatigue syndrome and, 567
chronic mild, sleep architecture changes and, 419
and learned helplessness and 5-HT_{1B} mRNA, 668
newly admitted psychotic patients and, 865
Striatum
plasma homovanillic acid with amantadine hydrochloride in schizophrenia and, 1062
Stroke
and psychotogenicity and NMDA antagonism, 135
Structural neuroimaging studies
mood disorders and, 86
Subcutaneous fat deposition
intra-abdominal, major depression and, 1140
Subjective insomnia
personality and, 209
Subjective measures
of aggression, serotonergic status and, 1147-corr
Subordination behavior
and social stress and depression in female cynomolgus monkeys, 871
Substance abuse
metabolism of psychoactive drugs and, 814
and NO effect on cerebral blood velocity while reclining and standing, 979
Substrates
impulsive aggression and, 1045
Subtraction of money
aggression in parolees and, 514
Suffocation alarm
abnormal threshold for, panic disorder and, 259
Suicidality
CSF amines and, 162
and serotonin transporter gene and manic depression, 750
serum cholesterol and, 196
SSRI effects on platelet serotonin in major depressive disorder and, 184
Suicide
brains, serotonergic, noradrenergic, and dopaminergic measures in, 1000
and depression and serotonin transporter binding sites, 1156
Superior temporal gyrus
volume, and cerebral assymetry in schizophrenia vs. bipolar disorder, 1
Surrogate methods
dynamical analysis of schizophrenia courses and, 428
Susceptibility
and social stress and depression in female cynomolgus monkeys, 871
Sympathetic stimulation
and cerebral blood flow associated with anxiety, 782
Synaptosomes
and serotonin transporter and glucocorticoids, 172
Synergetics
dynamical analysis of schizophrenia courses and, 428

Taiwanese aborigines
alcohol dehydrogenase and aldehyde dehydrogenase genotypes and alcoholism among, 703
DRD4 gene in alcoholism and, 394
TaqI A polymorphism
and dopamine D_2 receptor gene and tardive dyskinesia in

schizophrenia, 827
Tardive dyskinesia
and cigarette smoking and abnormal voluntary movements in general male population, 717
and dopamine D_2 receptor gene in schizophrenia, TaqI polymorphism and, 827
long-term, vitamin E for, 114
plasma homovanillic acid with amantadine hydrochloride in schizophrenia and, 1062
Task difficulty
P300 left lateralized deficit in schizophrenics and, 541
Technetium-99m hexamethyl-propyleneamine oxime single photon emission computed tomography (Tc-99m HMPAO-SPECT)
antipsychotic effect on relative cerebral blood perfusion in schizophrenia and, 550
Temperature
circadian, phase delay in hypersomnic winter depression and, 1109
niacin challenge test in schizophrenia and, 507
Temporal cortex
$G\alpha_{q/11}$ immunoreactivity in bipolar affective disorder and, 649
Temporal gyrus
medial and superior volumes, and cerebral assymetry in schizophrenia vs. bipolar disorder, 1
Temporal-limbic system
schizotypal personality disorder and, 530
Temporal lobes
auditory P300 topography and neuropsychological test performance, 327
epilepsy, and emotionality and amygdala kindling, 438
IMP SPECT brain imaging in rapid cycling bipolar disorder and, 152
schizophrenia and, 636
schizotypal personality disorder and, 530
Temporal-parietal lobes
HIV-negative neurosyphilis and, 467
Test-retest reliability
EEG sleep profile in major depressive disorder and, 964
Thermocouple sensors
niacin challenge test in schizophrenia and, 507
Theta band
EEG analysis in presenile Alzheimer's disease and, 217
Thiothixene
relative cerebral blood perfusion in schizophrenia and, 550
Thyroid antibodies
antenatal depression and, 1143
Thyroid hormone (TH)
novelty seeking and, 145
Thyroid-stimulating hormone (TSH)
during constant routine, phase delay in hypersomnic winter depression and, 1109
Thyrotropin-releasing hormone (TRH)
intravenous and intrathecal, antidepressant effects of, 264
stimulation test blunting, depression subtypes and, 915
Thyroxine (T_4)
novelty seeking in PTSD and, 145
L-Thyroxine
treatment, in rapidly cycling bipolar disorder, 503
Tic disorder
ADHD comorbidity with in children, 585
tryptophan depletion and, 117
Time series
dynamical analysis of schizophrenia courses and, 428
Tolerance
of intravenous and intrathecal thyrotropin-releasing hormone, 264
Tonic lateral flexion
Pisa syndrome and, 234
Topography
auditory P300, neuropschological test performance and, 327
Total fasting
serotonin-induced evevation of intracellular Ca^{2+} in platelets and, 618
Tourette's syndrome
audiogenic startle reflex in, 796
tryptophan depletion in, 117
Trait marker
for panic disorder, 259
Transcranial Doppler ultrasonography
and NO effect on cerebral blood velocity while reclining and standing, 979
Transducing proteins
$G\alpha_{q/11}$ immunoreactivity in bipolar affective disorder and, 649
Transfer $RNA^{Leu(UUR)}$ mutation
mitochondrial, depressive disorder and, 1137
Transient global amnesia
alterations of peak distribution of auditory ERPs during, 237
Transmethylation
one-carbon metabolism in neuropsychiatric disorders and, 230
Transporter gene
serotonin, manic depression and, 750
Trapezius muscle
audiogenic startle reflex in Tourette's syndrome and, 796
Trazodone
m-CPP and, 756
Tri-allele polymorphism
apolipoprotein E-ϵ4 allele frequency and, 912-corr, 912-corr (response)
Tricyclic antidepressants
weight gain induced by, naltrexone and, 747
Triggering
incorrect, ADHD and, 595
Triiodothyronine (T_3)
novelty seeking in PTSD and, 145
Tropicamide
mydriatic response to, cholinergic hypersensitivity and, 909
Tryptophan depletion
fluoxetine and, 949
preliminary study of, 117

t test analyses
hormonal profile and novelty seeking in PTSD and, 145
Tumor necrosis factor (TNF)
monocytes in major depression and, 675
Turner's syndrome
positron emission tomography and, 285
Twin studies
Buss-Durkee aggression scales and, 273
dermatoglyphic abnormalities in psychosis and, 624
Two-way analysis of variance
and sleep and complicated grief symptoms, 710
Tyrosine
DBH gene in schizophrenia and, 762

Ultradian rhythms
pulsatile ACTH and, 342
Unipolar depression
lithium for, 844
regional brain asymmetries in with or without anxiety disorder, 939
subtypes in, 915
Up-regulation
SSRI effects on platelet serotonin in major depressive disorder and, 184
Urine
cortisol, novelty seeking in PTSD and, 145
diurnal volume estimates, polydipsic schizophrenics and, 374

Vagal tone
cardiac, schizophrenia and, 612
Validation analyses
EEG sleep profile in major depressive disorder and, 964
Valproic acid
nocturnal plasma melatonin levels and, 336
Varicella zoster virus (VZV)
CSF viral antibodies for, OCD and, 883
Vascular dementia
and mydriatic response to tropicamide as sign of cholinergic hypersensitivity, 909
Vasoconstriction
cerebral, anxiety and, 782
Vasodilation
cerebral, anxiety and, 782
niacin challenge test in schizophrenia and, 507
Velocardiofacial syndrome
psychosis and, 985
Venlafaxine
cytochrome P450-3A isoforms and, 377
Ventral tegmental area
and sertraline and akathisia, 241
Verbal assault
Buss-Durkee aggression scales and, 273
Verbal intelligence
schizotypal personality disorder and, 530
Verbal paired associates test
auditory P300 topography and neuropsychological test performance, 327
Videotaping
ethological animal models and, 226
Vietnam Era Twin Registry
Buss-Durkee aggression scales and, 273
Vietnam veterans
hormonal profile and novelty seeking in PTSD and, 145
Viral antibodies
CSF, OCD and, 883
Visceral fat deposition
intra-abdominal, major depression and, 1140
Visual fixation
vs. auditory verbal supraspan memory, in schizophrenia, 33
Visual selective attention tasks
ADHD and, 595, 690
Visual status
indirect bright light improves circadian rest-activity rhythm disturbances in, 955
Visual system
EEG analysis in presenile Alzheimer's disease and, 217
Visuospatial priming
sensorimotor changes across menstrual cycle and, 452
Visuospatal working memory
schizophrenia and, 43
Vitamin E
for long-term tardive dyskinesia, 114
Volume selective technique
^{31}P magnetic resonance spectroscopy in dorsolateral prefrontal cortex of schizophrenics and, 644
Voltage-dependent channel unblocking kinetics
and psychotogenicity and NMDA antagonism, 135
Vulnerability
to recurrence, EEG sleep in depression and, 406

Waking state
and subjective and psychophysiologic insomnia, 209
Washout
neuroleptic, plasma homovanillic acid levels in schizophrenia and, 560
Water-loading
diurnal urine volume estimates in polydipsic schizophrenics and, 374
"Weaver"
ethological animal models and, 226
Weight
dexamethasone pharmacokinetics and, 574
tricyclic antidepressant-induced gain, naltrexone and, 747
White matter
basal ganglia choline levels in depression and, 837
Winokur, George, M.D. (In Memoriam), 993
Winter depression
hypersomnic, phase delay in, 1109
Wisconsin Card Sort Test
schizotypal personality disorder and, 530
Withdrawal
alcohol, DAT1 gene polymorphism and, 299
buprenorphine/naloxone interactions in methadone maintenance and, 1095

EEG beta in cocaine dependence and, 1087

Wolff-Parkinson-White syndrome
mitochondrial transfer $RNA^{Leu(UUR)}$ mutation in depression and, 1137

X chromosome
PET study of Turner's syndrome and, 285

Yom Kippur War
Israeli veterans of, physiologic responses to loud tones in, 319

Ziskind-Somerfeld Research Award
1996, 1
1997, 125, 255